

Dissolved Oxygen Data: 2012-2017

Date	Min DO mg/L	7 day mean min DO mg/L	30 d mean min DO mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Standard	Spill at Reregulating Dam	Evaluation
29-May-12	7.62			11	75.1	95.00		Criterion not met
30-May-12	6.17			11	60.8	95.00		Criterion not met
27-Jun-12	8.6			8	96.8	90.00		Criterion met
28-Jun-12	8.4			8	98.6	90.00		Criterion met
29-Jun-12	8.32			8	97.9	90.00		Criterion met
30-Jun-12	8.28			8	96.6	90.00		Criterion met
1-Jul-12	8.22			8	96.2	90.00		Criterion met
2-Jul-12	8.22			8	95.7	90.00		Criterion met
3-Jul-12	8.19			8	95.1	90.00		Criterion met
4-Jul-12	8.21			8	95.3	90.00		Criterion met
5-Jul-12	8.31			8	97.6	90.00		Criterion met
6-Jul-12	8.22			8	96.2	90.00		Criterion met
7-Jul-12	8.22			8	95.7	90.00		Criterion met
8-Jul-12	8.19			8	95.1	90.00		Criterion met
9-Jul-12	8.21			8	95.3	90.00		Criterion met
10-Jul-12	8.34			8	98.2	90.00		Criterion met
11-Jul-12	8.32			8	97.9	90.00		Criterion met
12-Jul-12	8.28			8	96.6	90.00		Criterion met
13-Jul-12	8.22		8.89	8	96.2	90.00		Criterion met
14-Jul-12	8.22		8.87	8	95.7	90.00		Criterion met
15-Jul-12	8.19		8.80	8	95.1	90.00		Criterion met
16-Jul-12	8.21		8.73	8	95.3	90.00		Criterion met
17-Jul-12	8.31		8.66	8	97.6	90.00		Criterion met
18-Jul-12	8.22		8.60	8	96.2	90.00		Criterion met
19-Jul-12	8.22		8.53	8	95.7	90.00		Criterion met
20-Jul-12	8.19		8.46	8	95.1	90.00		Criterion met
21-Jul-12	8.21		8.41	8	95.3	90.00		Criterion met
22-Jul-12	8.22		8.38	8	95.7	90.00		Criterion met
23-Jul-12	8.19		8.35	8	95.1	90.00		Criterion met
24-Jul-12	8.21		8.32	8	95.3	90.00		Criterion met
25-Jul-12	8.31		8.29	8	97.6	90.00		Criterion met
26-Jul-12	8.23		8.25	8	95.6	90.00		Criterion met
27-Jul-12	8.19		8.24	8	95.1	90.00		Criterion met
28-Jul-12	8.21		8.24	8	95.3	90.00		Criterion met
29-Jul-12	8.21		8.23	8	95.3	90.00		Criterion met
30-Jul-12	8.31		8.24	8	96.9	90.00		Criterion met
31-Jul-12	8.36		8.24	8	97.1	90.00		Criterion met
1-Aug-12	8.31		8.24	8		90.00		Criterion met
2-Aug-12	8.11		8.23	8		90.00		Criterion met
3-Aug-12	8.11		8.23	8		90.00		Criterion met
4-Aug-12	8.07		8.23	8		90.00		Criterion met
5-Aug-12	8.44		8.24	8		90.00		Criterion met
6-Aug-12	8.29		8.23	8		90.00		Criterion met
7-Aug-12	8.01		8.22	8		90.00		Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min DO mg/L	7 day mean min DO mg/L	30 d mean min DO mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Standard	Spill at Reregulating Dam	Evaluation
8-Aug-12	8		8.21	8		90.00		Criterion met
9-Aug-12	7.88		8.20	8		90.00		Criterion not met
10-Aug-12	7.88		8.18	8		90.00		Criterion not met
11-Aug-12	7.8		8.17	8		90.00		Criterion not met
12-Aug-12	7.88		8.16	8		90.00		Criterion not met
13-Aug-12	8.1		8.18	8	92.2	90.00	Full	Criterion met
14-Aug-12	8.86		8.20	8	90.4	90.00	Full	Criterion met
15-Aug-12	8.81		8.23	8	88.9	90.00	Full	Criterion met
17-Aug-12	8.81		8.27	8	88.9	90.00	Full	Criterion met
18-Aug-12	8.87		8.28	8	89.4	90.00	Full	Criterion met
19-Aug-12	8.61		8.30	8	86.6	90.00	Full	Criterion met
20-Aug-12	8.68		8.31	8	87.4	90.00	Full	Criterion met
21-Aug-12	8.59		8.33	8	86.6	90.00	Full	Criterion met
22-Aug-12	8.78		8.34	8	88.5	90.00	Full	Criterion met
23-Aug-12	8.54		8.34	8	86	90.00	Full	Criterion met
24-Aug-12	8.24		8.33	8	82.9	90.00		Criterion met
25-Aug-12	8.07		8.33	8	81.1	90.00		Criterion met
26-Aug-12	8.11		8.32	8	81.4	90.00		Criterion met
27-Aug-12	8.07		8.32	8	80.8	90.00		Criterion met
28-Aug-12	8.01		8.31	8	80.4	90.00		Criterion met
29-Aug-12	8.1		8.30	8	81.3	90.00		Criterion met
30-Aug-12	8.02		8.29	8	80.3	90.00		Criterion met
31-Aug-12	7.82		8.27	8	77.5	90.00		Criterion not met
1-Sep-12	7.88		8.27	8	77.7	90.00		Criterion not met
2-Sep-12	7.88		8.26	8	77.6	90.00		Criterion not met
3-Sep-12	7.8		8.25	8	77	90.00		Criterion not met
4-Sep-12	7.86		8.23	8	77.3	90.00		Criterion not met
5-Sep-12	7.79		8.21	8	76.6	90.00		Criterion not met
6-Sep-12	7.69		8.20	8	75.5	90.00		Criterion not met
7-Sep-12	7.71		8.19	8	75.7	90.00		Criterion not met
8-Sep-12	7.64		8.18	8	75.2	90.00		Criterion not met
9-Sep-12	7.53		8.16	8	74.1	90.00		Criterion not met
10-Sep-12	7.54		8.16	8	74.2	90.00	Limited	Criterion not met; Spilling
11-Sep-12	7.62		8.15	8	74.6	90.00		Criterion not met
12-Sep-12	7.6		8.13	8	74.7	90.00		Criterion not met
13-Sep-12	7.45		8.08	8	72.9	90.00	Limited	Criterion not met; Spilling
14-Sep-12	7.43		8.04	8	72.9	90.00	Limited	Criterion not met; Spilling
15-Sep-12	7.64		7.99	8	75.8	90.00	Limited	Criterion not met; Spilling
16-Sep-12	7.39		7.95	8	72.6	90.00	Limited	Criterion not met; Spilling
17-Sep-12	7.39		7.90	8	72.4	90.00	Limited	Criterion not met; Spilling
18-Sep-12	7.49		7.87	8	73.5	90.00	Limited	Criterion not met; Spilling
19-Sep-12	7.49		7.83	8	73.5	90.00	Limited	Criterion not met; Spilling
20-Sep-12	7.54		7.79	8	74	90.00	Limited	Criterion not met; Spilling
21-Sep-12	7.48		7.75	8	73.5	90.00	Limited	Criterion not met; Spilling

Dissolved Oxygen Data: 2012-2017

Date	Min DO mg/L	7 day mean min DO mg/L	30 d mean min DO mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Standard	Spill at Reregulating Dam	Evaluation
22-Sep-12	7.52		7.72	8	73.8	90.00	Limited	Criterion not met; Spilling
23-Sep-12	7.45		7.69	8	73.1	90.00	Limited	Criterion not met; Spilling
24-Sep-12	7.36		7.67	8	72.2	90.00	Limited	Criterion not met; Spilling
25-Sep-12	7.37		7.65	8	72.3	90.00	Limited	Criterion not met; Spilling
26-Sep-12	7.48		7.63	8	73.1	90.00	Limited	Criterion not met; Spilling
27-Sep-12	7.45		7.60	8	73.2	90.00	Limited	Criterion not met; Spilling
28-Sep-12	7.31		7.58	8	71.9	90.00		Criterion not met
29-Sep-12	7.27		7.56	8	71.3	90.00		Criterion not met
30-Sep-12	7.36		7.54	8	72.3	90.00		Criterion not met
1-Oct-12	7.37		7.53	8	72.1	90.00		Criterion not met
2-Oct-12	7.57		7.53	8	74.3	90.00		Criterion not met
3-Oct-12	7.7		7.53	8	75.4	90.00		Criterion not met
4-Oct-12	7.97		7.53	8	78.1	90.00		Criterion not met
5-Oct-12	7.89		7.53	8	77.1	90.00		Criterion not met
6-Oct-12	7.85		7.54	8	76.4	90.00		Criterion not met
7-Oct-12	7.98		7.56	8	77.8	90.00		Criterion not met
8-Oct-12	8.21		7.58	8	79.7	90.00		Criterion met
9-Oct-12	8.39		7.62	8	81.5	90.00		Criterion met
10-Oct-12	8.59		7.65	8	83.5	90.00		Criterion met
11-Oct-12	8.48		7.69	8	82.2	90.00	Limited	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
13-Jul-13	8.98			9	92.3	95		Criterion not met
15-Jul-13	8.9			9	91	95		Criterion not met
16-Jul-13	8.83			9	90.4	95		Criterion not met
17-Jul-13	8.72			9	89.1	95		Criterion not met
18-Jul-13	8.8			9	89.5	95		Criterion not met
19-Jul-13	8.78			9	89.6	95		Criterion not met
20-Jul-13	8.7			9	88.9	95		Criterion not met
21-Jul-13	8.84			9	90.3	95		Criterion not met
22-Jul-13	8.58			9	87.7	95		Criterion not met
23-Jul-13	8.83			9	90.4	95		Criterion not met
24-Jul-13	8.72			9	89.1	95		Criterion not met
25-Jul-13	8.8			9	89.5	95	Limited	Criterion not met; Spilling
26-Jul-13	8.83			9	90.4	95	Limited	Criterion not met; Spilling
27-Jul-13	8.72			9	89.1	95	Limited	Criterion not met; Spilling
28-Jul-13	8.8			9	89.5	95	Limited	Criterion not met; Spilling
29-Jul-13	8.83			9	90.4	95	Limited	Criterion not met; Spilling
30-Jul-13	8.7			9	88.9	95	Limited	Criterion not met; Spilling
31-Jul-13	8.7			9	88.9	95	Limited	Criterion not met; Spilling
1-Aug-13	8.58			9	87.7	95	Limited	Criterion not met; Spilling
2-Aug-13	8.25			9	84	95	Limited	Criterion not met; Spilling
3-Aug-13	8.58			9	86.3	95	Limited	Criterion not met; Spilling
4-Aug-13	8.58			9	87.7	95	Limited	Criterion not met; Spilling
5-Aug-13	8.03			9	81.5	95	Limited	Criterion not met; Spilling
6-Aug-13	8.82			9	90.1	95	Limited	Criterion not met; Spilling
7-Aug-13	8.83			9	90.2	95	Limited	Criterion not met; Spilling
8-Aug-13	8.67			9	88.9	95	Limited	Criterion not met; Spilling
9-Aug-13	8.6			9	88.3	95	Limited	Criterion not met; Spilling
10-Aug-13	8.59			9	88	95	Limited	Criterion not met; Spilling
11-Aug-13	8.78			9	89.5	95	Limited	Criterion not met; Spilling
12-Aug-13	8.52			9	86.4	95	Limited	Criterion not met; Spilling
13-Aug-13	8.67			9	87.4	95	Limited	Criterion not met; Spilling
14-Aug-13	8.63			9	86.9	95	Limited	Criterion not met; Spilling
15-Aug-13	8.67			9	87.6	95	Limited	Criterion not met; Spilling
16-Aug-13	8.72			9	88.2	95	Limited	Criterion not met; Spilling
17-Aug-13	8.52			9	86.4	95	Limited	Criterion not met; Spilling
18-Aug-13	8.64			9	87.1	95	Limited	Criterion not met; Spilling
19-Aug-13	8.52			9	85.8	95	Limited	Criterion not met; Spilling
20-Aug-13	8.54			9	86.5	95	Limited	Criterion not met; Spilling
21-Aug-13	8.5			9	85.6	95	Limited	Criterion not met; Spilling
22-Aug-13	8.55			9	86.1	95	Full	Criterion not met; Spilling
23-Aug-13	8.51			9	86.2	95	Full	Criterion not met; Spilling
24-Aug-13	8.47			9	85.7	95	Full	Criterion not met; Spilling
25-Aug-13	8.52			9	86.5	95	Full	Criterion not met; Spilling
26-Aug-13	7.87			9	80.2	95	Full	Criterion not met; Spilling
27-Aug-13	8.2			9	83.3	95	Full	Criterion not met; Spilling
28-Aug-13	8.03		8.98	8	81	90.00	Full	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
29-Aug-13	7.8		8.95	8	78.3	90.00		Criterion met
30-Aug-13	7.83		8.92	8	78.5	90.00		Criterion met
31-Aug-13	7.75		8.90	8	78	90.00		Criterion met
1-Sep-13	7.67		8.87	8	77.2	90.00		Criterion met
2-Sep-13	7.57		8.84	8	76.6	90.00		Criterion met
3-Sep-13	7.77		8.81	8	78.9	90.00		Criterion met
4-Sep-13	7.67		8.77	8	77.5	90.00		Criterion met
5-Sep-13	7.68		8.73	8	77.6	90.00		Criterion met
6-Sep-13	7.6		8.70	8	76.6	90.00		Criterion met
7-Sep-13	7.62		8.65	8	76.6	90.00		Criterion met
8-Sep-13	7.6		8.62	8	76.8	90.00		Criterion met
9-Sep-13	7.34		8.58	8	74	90.00		Criterion met
10-Sep-13	7.55		8.54	8	75.9	90.00		Criterion met
11-Sep-13	7.52		8.51	8	75.5	90.00		Criterion met
12-Sep-13	7.38		8.47	8	73.5	90.00		Criterion met
13-Sep-13	7.31		8.43	8	72.7	90.00		Criterion met
14-Sep-13	7.2		8.39	8	71.6	90.00		Criterion met
15-Sep-13	7.31		8.34	8	72.9	90.00		Criterion met
16-Sep-13	7.33		8.30	8	72.9	90.00		Criterion met
17-Sep-13	7.38		8.26	8	73.6	90.00		Criterion met
18-Sep-13	7.27		8.24	8	72.6	90.00	Limited	Criterion met
19-Sep-13	7.28		8.21	8	72.5	90.00	Limited	Criterion met
20-Sep-13	7.3		8.18	8	72.7	90.00	Limited	Criterion met
21-Sep-13	7.38		8.16	8	73.6	90.00	Limited	Criterion met
22-Sep-13	7.39		8.13	8	73.3	90.00	Limited	Criterion met
23-Sep-13	7.39		8.11	8	73.1	90.00	Limited	Criterion met
24-Sep-13	7.27		8.09	8	72	90.00	Limited	Criterion met
25-Sep-13	7.57		8.10	8	74.6	90.00	Limited	Criterion met
26-Sep-13	7.5		8.08	8	73.5	90.00	Limited	Criterion met
27-Sep-13	7.42		8.06	8	72.6	90.00	Limited	Criterion met
28-Sep-13	7.56		8.06	8	74.3	90.00	Limited	Criterion met
29-Sep-13	7.7		8.07	8	75.6	90.00	Limited	Criterion met
30-Sep-13	7.75		8.08	8	75.8	90.00	Limited	Criterion met
1-Oct-13	8		8.10	8	78.4	90.00	Limited	Criterion met
2-Oct-13	7.87		8.12	8	77.1	90.00	Limited	Criterion met
3-Oct-13	7.35		8.13	8	71.6	90.00	Limited	Criterion met
4-Oct-13	7.32		8.13	8	71.1	90.00	Limited	Criterion met
5-Oct-13	7.28		8.14	8	70.5	90.00	Limited	Criterion met
6-Oct-13	7.29		8.14	8	70.5	90.00	Limited	Criterion met
7-Oct-13	7.35		8.15	8	71.3	90.00	Limited	Criterion met
8-Oct-13	8.12		8.18	8	79	90.00	Limited	Criterion met
9-Oct-13	8.12		8.21	8	78.8	90.00	Limited	Criterion met
10-Oct-13	8.12		8.25	8	78.5	90.00	Limited	Criterion met
11-Oct-13	8.37		8.29	8	80.5	90.00	Limited	Criterion met
12-Oct-13	8.83		8.35	8	85	90.00	Limited	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
7-Jul-14	8.79		10.37	8.00	85.20	90.00		Criterion met
8-Jul-14	8.97		10.33	8.00	87.30	90.00		Criterion met
9-Jul-14	9.81		10.32	8.00	95.90	90.00		Criterion met
1-Aug-14	8.93		10.03	8.00	86.80	90.00		Criterion met
2-Aug-14	8.85		10.02	8.00	85.70	90.00		Criterion met
3-Aug-14	8.88		10.01	8.00	86.30	90.00		Criterion met
4-Aug-14	8.84		10.01	8.00	85.90	90.00		Criterion met
5-Aug-14	8.67		10	8.00	84.50	90.00		Criterion met
6-Aug-14	8.77		9.99	8.00	85.30	90.00		Criterion met
7-Aug-14	8.73		9.98	8.00	85.20	90.00		Criterion met
8-Aug-14	8.72		9.93	8.00	85.00	90.00		Criterion met
9-Aug-14	8.81		9.88	8.00	85.70	90.00		Criterion met
10-Aug-14	8.70		9.83	8.00	84.90	90.00		Criterion met
11-Aug-14	8.75		9.77	8.00	85.40	90.00		Criterion met
12-Aug-14	8.72		9.71	8.00	85.20	90.00		Criterion met
13-Aug-14	8.73		9.66	8.00	85.20	90.00		Criterion met
14-Aug-14	8.83		9.61	8.00	86.10	90.00		Criterion met
15-Aug-14	8.73		9.56	8.00	85.20	90.00		Criterion met
16-Aug-14	8.79		9.52	8.00	85.80	90.00		Criterion met
17-Aug-14	8.74		9.48	8.00	85.50	90.00		Criterion met
18-Aug-14	8.56		9.44	8.00	83.80	90.00		Criterion met
19-Aug-14	8.51		9.4	8.00	83.10	90.00		Criterion met
20-Aug-14	8.41		9.36	8.00	82.00	90.00		Criterion met
21-Aug-14	8.37		9.33	8.00	81.40	90.00		Criterion met
22-Aug-14	8.18		9.29	8.00	79.60	90.00		Criterion met
23-Aug-14	8.18		9.24	8.00	79.60	90.00		Criterion met
24-Aug-14	8.11		9.2	8.00	78.90	90.00		Criterion met
25-Aug-14	7.96		9.22	8.00	77.20	90.00		Criterion met
26-Aug-14	8.55		9.24	8.00	83.70	90.00		Criterion met
27-Aug-14	7.90		9.19	8.00	76.80	90.00		Criterion met
28-Aug-14	8.08		9.15	8.00	78.70	90.00		Criterion met
29-Aug-14	8.06		9.12	8.00	78.50	90.00		Criterion met
30-Aug-14	8.15		9.08	8.00	79.70	90.00		Criterion met
31-Aug-14	8.17		9.06	8.00	79.80	90.00		Criterion met
1-Sep-14	8.14		9.04	8.00	79.50	90.00		Criterion met
2-Sep-14	8.13		9.01	8.00	79.80	90.00		Criterion met
3-Sep-14	8.09		8.99	8.00	78.90	90.00		Criterion met
4-Sep-14	8.18		8.97	8.00	79.70	90.00		Criterion met
5-Sep-14	8.07		8.95	8.00	78.90	90.00		Criterion met
6-Sep-14	8.04		8.93	8.00	78.40	90.00		Criterion met
7-Sep-14	8.16		8.91	8.00	79.70	90.00		Criterion met
8-Sep-14	8.22		8.9	8.00	80.30	90.00		Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
9-Sep-14	8.15		8.88	8.00	79.60	90.00		Criterion met
10-Sep-14	8.24		8.87	8.00	80.40	90.00		Criterion met
11-Sep-14	8.52		8.86	8.00	83.20	90.00		Criterion met
12-Sep-14	8.26		8.86	8.00	80.40	90.00		Criterion met
13-Sep-14	8.43		8.84	8.00	82.10	90.00		Criterion met
14-Sep-14	8.28		8.83	8.00	80.60	90.00		Criterion met
15-Sep-14	8.32		8.82	8.00	81.00	90.00		Criterion met
16-Sep-14	8.42		8.81	8.00	82.10	90.00		Criterion met
17-Sep-14	8.53		8.82	8.00	83.30	90.00		Criterion met
18-Sep-14	8.49		8.82	8.00	82.90	90.00		Criterion met
19-Sep-14	8.55		8.83	8.00	83.60	90.00		Criterion met
20-Sep-14	8.50		8.84	8.00	83.10	90.00		Criterion met
21-Sep-14	8.58		8.85	8.00	84.10	90.00		Criterion met
22-Sep-14	8.52		8.87	8.00	83.70	90.00		Criterion met
23-Sep-14	8.35		8.88	8.00	81.90	90.00		Criterion met
24-Sep-14	8.58		8.83	8.00	84.30	90.00		Criterion met
25-Sep-14	8.44		8.79	8.00	82.90	90.00		Criterion met
26-Sep-14	8.66		8.82	8.00	85.00	90.00		Criterion met
27-Sep-14	8.76		8.84	8.00	85.80	90.00		Criterion met
28-Sep-14	8.95		8.87	8.00	87.80	90.00		Criterion met
29-Sep-14	8.92		8.9	8.00	87.40	90.00		Criterion met
30-Sep-14	8.82		8.92	8.00	86.10	90.00		Criterion met
1-Oct-14	8.89		8.95	8.00	86.80	90.00		Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
30-Jun-15	8.57		9.57	8.00	88.90	90.00		Criterion met
1-Jul-15	8.49		9.55	8.00	94.20	90.00		Criterion met
2-Jul-15	8.35		9.52	8.00	96.70	90.00		Criterion met
3-Jul-15	8.27		9.49	8.00	95.50	90.00		Criterion met
4-Jul-15	8.33		9.47	8.00	96.50	90.00		Criterion met
5-Jul-15	8.21		9.43	8.00	95.10	90.00		Criterion met
6-Jul-15	8.49		9.41	8.00	98.00	90.00		Criterion met
7-Jul-15	8.45		9.37	8.00	97.80	90.00		Criterion met
8-Jul-15	8.27		9.34	8.00	95.50	90.00		Criterion met
9-Jul-15	8.33		9.31	8.00	96.50	90.00		Criterion met
10-Jul-15	8.21		9.28	8.00	95.10	90.00		Criterion met
11-Jul-15	8.22		9.25	8.00	94.90	90.00		Criterion met
12-Jul-15	8.26		9.23	8.00	95.90	90.00		Criterion met
13-Jul-15	8.24		9.19	8.00	96.00	90.00		Criterion met
14-Jul-15	7.78		9.15	8.00	89.70	90.00		Criterion met
15-Jul-15	7.96		9.11	8.00	91.50	90.00		Criterion met
16-Jul-15	7.99		9.06	8.00	89.00	90.00		Criterion met
17-Jul-15	7.75		9.02	8.00	82.10	90.00		Criterion met
18-Jul-15	7.74		8.96	8.00	81.40	90.00		Criterion met
19-Jul-15	7.55		8.91	8.00	80.10	90.00		Criterion met
20-Jul-15	7.60		8.86	8.00	80.50	90.00		Criterion met
21-Jul-15	7.55		8.80	8.00	78.30	90.00		Criterion met
22-Jul-15	7.60		8.75	8.00	75.40	90.00		Criterion met
23-Jul-15	7.60		8.69	8.00	75.90	90.00		Criterion met
24-Jul-15	7.60		8.64	8.00	76.80	90.00		Criterion met
25-Jul-15	7.60		8.59	8.00	76.20	90.00		Criterion met
26-Jul-15	7.60		8.53	8.00	73.80	90.00		Criterion met
27-Jul-15	7.60		8.48	8.00	74.60	90.00		Criterion met
28-Jul-15	7.60		8.43	8.00	74.40	90.00		Criterion met
29-Jul-15	7.55		8.38	8.00	73.60	90.00		Criterion met
30-Jul-15	7.26		8.33	8.00	76.10	90.00		Criterion met
31-Jul-15	7.19		8.28	8.00	81.40	90.00		Criterion met
1-Aug-15	7.11		8.23	8.00	72.90	90.00		Criterion met
2-Aug-15	7.09		8.19	8.00	72.90	90.00		Criterion met
3-Aug-15	7.11		8.15	8.00	73.30	90.00		Criterion met
4-Aug-15	6.93		8.11	8.00	72.70	90.00		Criterion met
5-Aug-15	6.67		8.07	8.00	73.20	90.00	Limited	Criterion met
6-Aug-15	7.06		8.03	8.00	72.00	90.00	Limited	Criterion met
7-Aug-15	7.09		7.99	8.00	72.90	90.00	Limited	Criterion not met; Spilling
8-Aug-15	7.10		7.96	8.00	73.30	90.00	Limited	Criterion not met; Spilling
9-Aug-15	6.89		7.92	8.00	72.70	90.00	Limited	Criterion not met; Spilling

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
10-Aug-15	6.84		7.89	8.00	73.20	90.00	Limited	Criterion not met; Spilling
11-Aug-15	7.47		7.88	8.00	72.00	90.00	Full	Criterion not met; Spilling
12-Aug-15	7.20		7.86	8.00	72.90	90.00	Full	Criterion not met; Spilling
13-Aug-15	7.05		7.83	8.00	72.90	90.00	Full	Criterion not met; Spilling
14-Aug-15	7.10		7.81	8.00	73.30	90.00	Full	Criterion not met; Spilling
15-Aug-15	7.04		7.79	8.00	72.70	90.00	Full	Criterion not met; Spilling
16-Aug-15	7.09		7.77	8.00	73.20	90.00	Full	Criterion not met; Spilling
17-Aug-15	6.92		7.74	8.00	72.00	90.00	Full	Criterion not met; Spilling
18-Aug-15	6.89		7.72	8.00	71.50	90.00	Full	Criterion not met; Spilling
19-Aug-15	6.82		7.70	8.00	70.80	90.00	Full	Criterion not met; Spilling
20-Aug-15	6.95		7.69	8.00	72.10	90.00	Full	Criterion not met; Spilling
21-Aug-15	7.52		7.70	8.00	76.20	90.00	Full	Criterion not met; Spilling
22-Aug-15	7.43		7.70	8.00	74.80	90.00	Full	Criterion not met; Spilling
23-Aug-15	7.47		7.71	8.00	75.50	90.00	Full	Criterion not met; Spilling
24-Aug-15	7.87		7.73	8.00	79.30	90.00	Full	Criterion not met; Spilling
25-Aug-15	7.76		7.74	8.00	77.60	90.00	Full	Criterion not met; Spilling
26-Aug-15	7.91		7.76	8.00	78.80	90.00	Full	Criterion not met; Spilling
27-Aug-15	5.99		7.76	8.00	65.30	90.00	Full	Criterion not met; Spilling
28-Aug-15	7.21		7.76	8.00	71.80	90.00	Limited	Criterion not met; Spilling
29-Aug-15	7.33		7.77	8.00	73.00	90.00	Limited	Criterion not met; Spilling
30-Aug-15	7.22		7.77	8.00	71.90	90.00	Limited	Criterion not met; Spilling
31-Aug-15	7.07		7.78	8.00	70.10	90.00	Limited	Criterion not met; Spilling
1-Sep-15	7.05		7.79	8.00	70.00	90.00	Limited	Criterion not met; Spilling
2-Sep-15	7.07		7.80	8.00	70.50	90.00	Limited	Criterion not met; Spilling
3-Sep-15	7.07		7.82	8.00	70.40	90.00	Limited	Criterion not met; Spilling
4-Sep-15	7.24		7.84	8.00	71.90	90.00	Limited	Criterion not met; Spilling
5-Sep-15	7.27		7.85	8.00	72.30	90.00	Limited	Criterion not met; Spilling
6-Sep-15	7.32		7.87	8.00	72.70	90.00	Limited	Criterion not met; Spilling
7-Sep-15	7.45		7.89	8.00	74.00	90.00	Limited	Criterion not met; Spilling
8-Sep-15	7.46		7.92	8.00	74.10	90.00	Limited	Criterion not met; Spilling
9-Sep-15	7.46		7.94	8.00	74.10	90.00	Limited	Criterion not met; Spilling
10-Sep-15	7.86		7.96	8.00	78.40	90.00	Limited	Criterion not met; Spilling
11-Sep-15	7.86		7.97	8.00	78.40	90.00	Limited	Criterion not met; Spilling
12-Sep-15	7.83		7.99	8.00	78.30	90.00	Limited	Criterion not met; Spilling
13-Sep-15	7.70		8.01	8.00	76.90	90.00	Limited	Criterion met
14-Sep-15	7.58		8.03	8.00	75.80	90.00	Limited	Criterion met
15-Sep-15	7.63		8.05	8.00	76.00	90.00	Limited	Criterion met
16-Sep-15	7.52		8.07	8.00	75.20	90.00	Limited	Criterion met
17-Sep-15	7.60		8.10	8.00	75.80	90.00		Criterion met
18-Sep-15	7.46		8.12	8.00	74.20	90.00		Criterion met
19-Sep-15	7.70		8.15	8.00	76.80	90.00		Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	D.O. Criteria (mg/L)	Min. Daily Percent Saturation at the Rereg. Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
20-Sep-15	7.83		8.18	8.00	78.10	90.00		Criterion met
21-Sep-15	7.70		8.19	8.00	76.70	90.00		Criterion met
22-Sep-15	7.89		8.20	8.00	78.80	90.00		Criterion met
23-Sep-15	8.22		8.22	8.00	81.90	90.00		Criterion met
24-Sep-15	8.21		8.22	8.00	82.00	90.00		Criterion met
25-Sep-15	8.22		8.24	8.00	82.10	90.00		Criterion met
26-Sep-15	8.37		8.25	8.00	83.70	90.00		Criterion met
27-Sep-15	8.50		8.29	8.00	84.70	90.00		Criterion met
28-Sep-15	8.24		8.31	8.00	82.30	90.00		Criterion met
29-Sep-15	8.37		8.34	8.00	83.70	90.00		Criterion met
30-Sep-15	8.51		8.38	8.00	84.80	90.00		Criterion met
1-Oct-15	8.51		8.41	8.00	84.80	90.00		Criterion met
2-Oct-15	8.36		8.45	8.00	83.90	90.00		Criterion met
3-Oct-15	8.54		8.49	8.00	85.50	90.00		Criterion met
4-Oct-15	8.72		8.53	8.00	87.40	90.00		Criterion met
5-Oct-15	8.76		8.58	8.00	87.40	90.00		Criterion met
6-Oct-15	8.81		8.62	8.00	87.90	90.00		Criterion met
7-Oct-15	8.54		8.65	8.00	85.60	90.00		Criterion met
8-Oct-15	8.73		8.69	8.00	87.90	90.00		Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Regulation Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
3-Jul-16	8.98		9.80	8.00	86.80	90.00		Criterion met
13-Jul-16	8.77		9.58	8.00	62.60	90.00		Criterion met
14-Jul-16	8.75		9.55	8.00	82.70	90.00		Criterion met
15-Jul-16	8.69		9.53	8.00	80.30	90.00		Criterion met
16-Jul-16	8.66		9.50	8.00	81.50	90.00		Criterion met
17-Jul-16	8.47		9.46	8.00	78.90	90.00		Criterion met
18-Jul-16	8.34		9.43	8.00	78.20	90.00		Criterion met
19-Jul-16	8.36		9.39	8.00	78.40	90.00		Criterion met
20-Jul-16	8.28		9.36	8.00	78.20	90.00		Criterion met
21-Jul-16	8.32		9.32	8.00	79.30	90.00		Criterion met
22-Jul-16	8.22		9.29	8.00	78.30	90.00		Criterion met
23-Jul-16	8.08		9.26	8.00	77.50	90.00		Criterion met
24-Jul-16	8.12		9.22	8.00	78.80	90.00		Criterion met
25-Jul-16	8.04		9.17	8.00	77.80	90.00		Criterion met
26-Jul-16	8.04		9.13	8.00	72.60	90.00		Criterion met
27-Jul-16	7.98		9.09	8.00	69.80	90.00		Criterion met
28-Jul-16	7.79		9.05	8.00	79.30	90.00		Criterion met
29-Jul-16	7.83		9.02	8.00	80.40	90.00		Criterion met
30-Jul-16	7.87		8.99	8.00	81.30	90.00		Criterion met
31-Jul-16	7.85		8.94	8.00	81.20	90.00		Criterion met
1-Aug-16	7.80		8.90	8.00	81.20	90.00		Criterion met
2-Aug-16	7.70		8.86	8.00	80.40	90.00		Criterion met
3-Aug-16	7.76		8.81	8.00	80.30	90.00		Criterion met
4-Aug-16	7.79		8.77	8.00	81.70	90.00		Criterion met
5-Aug-16	7.94		8.73	8.00	82.20	90.00		Criterion met
6-Aug-16	8.00		8.70	8.00	81.50	90.00		Criterion met
7-Aug-16	8.00		8.67	8.00	80.80	90.00		Criterion met
8-Aug-16	7.91		8.63	8.00	79.60	90.00		Criterion met
9-Aug-16	8.00		8.59	8.00	79.40	90.00		Criterion met
10-Aug-16	8.26		8.57	8.00	81.70	90.00	Limited	Criterion met
11-Aug-16	8.07		8.56	8.00	80.00	90.00	Limited	Criterion met
12-Aug-16	8.01		8.54	8.00	79.80	90.00	Limited	Criterion met
13-Aug-16	7.96		8.52	8.00	79.70	90.00	Limited	Criterion met
14-Aug-16	7.92		8.49	8.00	78.40	90.00	Limited	Criterion met
15-Aug-16	7.89		8.47	8.00	79.30	90.00	Limited	Criterion met
16-Aug-16	8.12		8.47	8.00	82.20	90.00	Limited	Criterion met
17-Aug-16	7.82		8.47	8.00	78.70	90.00	Limited	Criterion met
18-Aug-16	7.87		8.47	8.00	80.40	90.00	Limited	Criterion met
19-Aug-16	7.83		8.47	8.00	80.70	90.00	Limited	Criterion met
20-Aug-16	7.79		8.45	8.00	80.00	90.00	Limited	Criterion met
21-Aug-16	7.66		8.43	8.00	78.70	90.00	Limited	Criterion met
22-Aug-16	7.67		8.44	8.00	79.20	90.00	Limited	Criterion met
25-Aug-16	8.01		8.54	8.00	84.00	90.00	Full	Criterion met
26-Aug-16	7.62		8.52	8.00	78.00	90.00	Limited	Criterion met
27-Aug-16	7.53		8.51	8.00	76.70	90.00	Limited	Criterion met
28-Aug-16	7.45		8.49	8.00	75.10	90.00	Limited	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Regulation Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
29-Aug-16	7.36		8.47	8.00	74.40	90.00	Limited	Criterion met
30-Aug-16	7.28		8.46	8.00	72.00	90.00	Limited	Criterion met
31-Aug-16	7.17		8.45	8.00	71.50	90.00	Limited	Criterion met
1-Sep-16	7.06		8.44	8.00	70.70	90.00	Limited	Criterion met
2-Sep-16	6.98		8.44	8.00	70.50	90.00	Limited	Criterion met
3-Sep-16	6.92		8.43	8.00	69.70	90.00	Limited	Criterion met
4-Sep-16	6.93		8.39	8.00	69.60	90.00	Limited	Criterion met
5-Sep-16	6.83		8.35	8.00	68.60	90.00	Limited	Criterion met
6-Sep-16	6.87		8.33	8.00	67.50	90.00	Limited	Criterion met
7-Sep-16	7.03		8.32	8.00	69.80	90.00	Limited	Criterion met
8-Sep-16	7.03		8.31	8.00	70.30	90.00	Limited	Criterion met
9-Sep-16	7.09		8.28	8.00	70.00	90.00	Limited	Criterion met
10-Sep-16	6.75		8.23	8.00	68.90	90.00	Limited	Criterion met
11-Sep-16	6.79		8.18	8.00	68.30	90.00	Limited	Criterion met
12-Sep-16	6.94		8.14	8.00	70.00	90.00	Limited	Criterion met
13-Sep-16	7.17		8.15	8.00	73.70	90.00	Limited	Criterion met
14-Sep-16	7.30		8.15	8.00	73.60	90.00	Limited	Criterion met
15-Sep-16	7.17		8.14	8.00	72.90	90.00	Limited	Criterion met
16-Sep-16	7.34		8.13	8.00	71.10	90.00	Limited	Criterion met
17-Sep-16	7.43		8.12	8.00	71.20	90.00	Limited	Criterion met
18-Sep-16	7.47		8.11	8.00	72.10	90.00	Limited	Criterion met
19-Sep-16	7.47		8.13	8.00	71.20	90.00	Limited	Criterion met
20-Sep-16	7.54		8.15	8.00	71.60	90.00	Limited	Criterion met
21-Sep-16	7.33		8.15	8.00	67.60	90.00	Limited	Criterion met
22-Sep-16	7.26		8.12	8.00	66.60	90.00	Limited	Criterion met
23-Sep-16	7.43		8.13	8.00	68.60	90.00	Full	Criterion met
26-Sep-16	7.57		8.24	8.00	77.30	90.00	Full	Criterion met
27-Sep-16	7.43		8.30	8.00	77.20	90.00	Full	Criterion met
4-Oct-16	8.78		8.78	8.00	78.90	90.00	Limited	Criterion met
5-Oct-16	8.63		8.86	8.00	77.80	90.00	Limited	Criterion met
13-Oct-16	8.78		9.49	8.00	85.20	90.00	Limited	Criterion met
14-Oct-16	8.87		9.54	8.00	87.90	90.00	Limited	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Regulation Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
2-Jul-17	8.84		9.78	8	90.3	90		Criterion met
3-Jul-17	8.97		9.76	8	91.5	90		Criterion met
4-Jul-17	8.93		9.75	8	91	90		Criterion met
5-Jul-17	8.82		9.72	8	90.3	90		Criterion met
6-Jul-17	8.72		9.7	8	89.7	90		Criterion met
7-Jul-17	8.81		9.68	8	91.4	90		Criterion met
8-Jul-17	8.84		9.66	8	91.2	90		Criterion met
9-Jul-17	8.56		9.63	8	88.9	90		Criterion met
10-Jul-17	8.37		9.61	8	86.6	90		Criterion met
11-Jul-17	8.78		9.59	8	89.7	90		Criterion met
15-Jul-17	8.91		9.56	8	88.5	90		Criterion met
16-Jul-17	8.9		9.55	8	88.4	90		Criterion met
17-Jul-17	8.89		9.53	8	89.3	90		Criterion met
18-Jul-17	8.82		9.5	8	88.7	90		Criterion met
19-Jul-17	8.67		9.48	8	86.7	90		Criterion met
20-Jul-17	8.62		9.45	8	86.5	90		Criterion met
21-Jul-17	8.69		9.42	8	88.2	90		Criterion met
22-Jul-17	8.67		9.39	8	88.6	90		Criterion met
23-Jul-17	8.58		9.37	8	86.3	90		Criterion met
24-Jul-17	8.54		9.34	8	87.4	90		Criterion met
25-Jul-17	8.48		9.31	8	87	90		Criterion met
26-Jul-17	8.48		9.27	8	87.1	90		Criterion met
27-Jul-17	8.33		9.24	8	86.5	90		Criterion met
28-Jul-17	8.46		9.21	8	85.2	90	Limited	Criterion met
29-Jul-17	8.69		9.18	8	91	90	Limited	Criterion met
30-Jul-17	8.67		9.17	8	89.5	90	Limited	Criterion met
31-Jul-17	8.46		9.15	8	86	90	Limited	Criterion met
1-Aug-17	8.33		9.13	8	86.4	90	Limited	Criterion met
2-Aug-17	8.44		9.12	8	88.5	90	Limited	Criterion met
3-Aug-17	8.18		9.1	8	84.9	90	Limited	Criterion met
4-Aug-17	8.14		9.08	8	83.5	90	Limited	Criterion met
5-Aug-17	8.45		9.06	8	87.6	90	Limited	Criterion met
6-Aug-17	8.44		9.05	8	89.8	90	Limited	Criterion met
7-Aug-17	8.43		9.03	8	89.8	90	Limited	Criterion met
8-Aug-17	8.51		9.02	8	89.8	90	Limited	Criterion met
9-Aug-17	8.24		9.02	8	88	90	Limited	Criterion met
10-Aug-17	8.35		9	8	86.5	90	Limited	Criterion met
11-Aug-17	8.57		8.98	8	89.1	90	Limited	Criterion met
12-Aug-17	8.52		8.96	8	88.4	90	Limited	Criterion met
13-Aug-17	8.43		8.95	8	86.9	90	Limited	Criterion met
14-Aug-17	8.48		8.94	8	86.6	90	Limited	Criterion met
15-Aug-17	8.36		8.92	8	83.3	90	Limited	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Regulation Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
16-Aug-17	8.62		8.91	8	85.2	90	Limited	Criterion met
17-Aug-17	8.49		8.9	8	83.8	90	Limited	Criterion met
18-Aug-17	8.22		8.88	8	81.3	90	Limited	Criterion met
19-Aug-17	8.16		8.87	8	82.7	90	Limited	Criterion met
20-Aug-17	8.18		8.85	8	82.6	90	Limited	Criterion met
21-Aug-17	8.06		8.83	8	79	90	Limited	Criterion met
22-Aug-17	8.12		8.82	8	80.8	90	Limited	Criterion met
23-Aug-17	8.02		8.81	8	79	90	Limited	Criterion met
24-Aug-17	8.51		8.81	8	84.4	90	Limited	Criterion met
25-Aug-17	8.15		8.82	8	82.1	90	Limited	Criterion met
26-Aug-17	8.07		8.81	8	80.9	90	Limited	Criterion met
27-Aug-17	8.06		8.8	8	81.4	90	Limited	Criterion met
28-Aug-17	8.54		8.8	8	85.1	90	Full	Criterion met
29-Aug-17	8.6		8.8	8	85.6	90	Full	Criterion met
30-Aug-17	8.65		8.8	8	86.1	90	Full	Criterion met
31-Aug-17	8.46		8.81	8	85.4	90	Full	Criterion met
1-Sep-17	8.84		8.82	8	86.7	90	Full	Criterion met
2-Sep-17	8.59		8.83	8	83.9	90	Full	Criterion met
3-Sep-17	8.66		8.84	8	84.8	90	Full	Criterion met
4-Sep-17	8.66		8.85	8	85	90	Full	Criterion met
5-Sep-17	8.77		8.86	8	86.1	90	Full	Criterion met
6-Sep-17	8.75		8.86	8	86.3	90	Full	Criterion met
7-Sep-17	8.55		8.87	8	84.1	90	Full	Criterion met
8-Sep-17	8.64		8.88	8	85.1	90	Full	Criterion met
9-Sep-17	8.83		8.89	8	87.1	90	Full	Criterion met
10-Sep-17	8.46		8.9	8	83.6	90	Full	Criterion met
11-Sep-17	8.03		8.9	8	79.2	90	Full	Criterion met
12-Sep-17	8.68		8.91	8	86.2	90	Full	Criterion met
13-Sep-17	8.52		8.91	8	84.1	90	Full	Criterion met
14-Sep-17	8.63		8.92	8	85.2	90	Full	Criterion met
15-Sep-17	8.73		8.93	8	86.1	90	Full	Criterion met
16-Sep-17	8.68		8.94	8	85.8	90	Full	Criterion met
17-Sep-17	8.68		8.95	8	85.5	90	Full	Criterion met
18-Sep-17	8.63		8.97	8	85.4	90	Full	Criterion met
19-Sep-17	8.81		8.99	8	86.9	90	Full	Criterion met
24-Sep-17	8.84		9.12	8	87	90	Full	Criterion met
25-Sep-17	8.62		9.13	8	84.7	90	Full	Criterion met
26-Sep-17	8.14		9.14	8	80.5	90	Full	Criterion met
27-Sep-17	8.37		9.14	8	82.4	90	Full	Criterion met
28-Sep-17	8.59		9.14	8	84.8	90	Full	Criterion met
29-Sep-17	8.51		9.14	8	84	90	Full	Criterion met
30-Sep-17	8.69		9.14	8	85.5	90	Full	Criterion met

Dissolved Oxygen Data: 2012-2017

Date	Min. Daily D.O. Conc. At the Regulating Dam (mg/L)	7 day mean min DO mg/L	30 d mean min D.O. mg/L	Dissolved Oxygen Criteria (mg/L)	Min. Daily Percent Saturation at the Regulation Dam	Alternative Saturation Criteria	Spill at Reregulating Dam	Evaluation
1-Oct-17	8.74		9.15	8	86.1	90	Full	Criterion met
2-Oct-17	8.86		9.15	8	87	90	Full	Criterion met
3-Oct-17	8.88		9.17	8	87	90	Full	Criterion met
4-Oct-17	8.97		9.18	8	88.3	90	Full	Criterion met
26-Oct-17	8.92			9	85.7	95	Full	Criterion not met; Spilling
27-Oct-17	8.59			9	82.1	95		Criterion not met
28-Oct-17	8.62			9	82.4	95		Criterion not met
29-Oct-17	8.5			9	81.1	95		Criterion not met
30-Oct-17	8.44			9	80.5	95		Criterion not met
31-Oct-17	8.67			9	82.1	95		Criterion not met
1-Nov-17	8.61			9	82	95		Criterion not met
2-Nov-17	8.41			9	79.8	95		Criterion not met
10-Nov-17	8.7			9	82.4	95		Criterion not met