

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation	
4/4/2011	8.6	8.6	8.2	0.4	not applicable	1.1	0	0	Temperature allowance met	
4/5/2011	8.4	8.7	7.7	1.0	not applicable	1.1	0	0	Temperature allowance met	
4/6/2011	8.5	8.7	6.9	1.8	not applicable	1.1	0	0	Following Blend 17	
4/7/2011	8.5	8.7	6.7	2.0	not applicable	1.1	0	0	Following Blend 17	
4/8/2011	8.6	8.7	6.4	2.3	not applicable	1.1	0	0	Following Blend 17	
4/9/2011	8.3	8.6	6.9	1.8	not applicable	1.1	0	0	Following Blend 17	
4/10/2011	8.1	8.5	7.4	1.1	not applicable	1.1	0	0	Temperature allowance met	
4/11/2011	8.2	8.5	8.0	0.5	not applicable	1.1	0	0	Temperature allowance met	
6/15/2011	13.8	13.2	13.0	0.2	not applicable	1.1	0	0	Temperature allowance met	
6/16/2011	14.0	13.3	12.9	0.4	not applicable	1.1	0	0	Temperature allowance met	
6/17/2011	13.4	13.4	12.8	0.6	not applicable	1.1	0	0	Temperature allowance met	
6/18/2011	13.1	13.4	12.8	0.6	not applicable	1.1	0	0	Temperature allowance met	
6/19/2011	13.7	13.5	13.0	0.5	not applicable	1.1	0	0	Temperature allowance met	
6/20/2011	14.3	13.6	13.1	0.6	not applicable	1.1	0	0	Temperature allowance met	
6/21/2011	13.9	13.7	13.1	0.5	not applicable	1.1	0	0	Temperature allowance met	
6/22/2011	14.0	13.7	13.3	0.4	not applicable	1.1	0	0	Temperature allowance met	
6/23/2011	14.2	not applicable	13.7	13.4	0.3	not applicable	1.1	0	0-20	Temperature allowance met
6/24/2011	14.5	13.9	13.5	0.3	not applicable	1.1	0	0	0-20	Temperature allowance met
6/25/2011	14.1	14.0	13.7	0.3	not applicable	1.1	0	0	0-20	Temperature allowance met
6/26/2011	14.0	14.0	13.8	0.2	not applicable	1.1	0	0	0-20	Temperature allowance met
6/28/2011	14.2	14.1	13.9	0.2	not applicable	1.1	0	0	0-20	Temperature allowance met
6/29/2011	14.4	14.1	13.9	0.2	not applicable	1.1	0	0	0-20	Temperature allowance met
6/30/2011	14.6	14.2	13.9	0.3	not applicable	1.1	0	0	0-20	Temperature allowance met
7/1/2011	14.4	14.2	13.9	0.2	not applicable	1.1	15	15	Temperature allowance met	
7/10/2011	15.2	14.8	14.5	0.3	not applicable	1.1	15	15	Temperature allowance met	
7/11/2011	14.8	not applicable	14.8	14.4	0.4	not applicable	1.1	15	15	Temperature allowance met
7/12/2011	14.6	14.8	14.3	0.5	not applicable	1.1	15	15	Temperature allowance met	
7/13/2011	14.8	14.8	14.1	0.8	not applicable	1.1	15	15	Temperature allowance met	
7/14/2011	15.3	14.9	13.9	1.0	not applicable	1.1	15	20	Temperature allowance met	
7/15/2011	15.4	not applicable	15.0	14.0	1.0	not applicable	1.1	15	20	Temperature allowance met
7/16/2011	15.0	14.9	14.0	0.9	not applicable	1.1	15	20	Temperature allowance met	
7/17/2011	14.9	14.9	13.9	0.9	not applicable	1.1	15	20	Temperature allowance met	
7/18/2011	14.7	14.9	13.8	1.1	not applicable	1.1	15	20	Temperature allowance met	
7/19/2011	14.6	14.9	13.7	1.1	not applicable	1.1	15	25	Temperature allowance met	
7/20/2011	14.7	14.8	13.8	1.0	not applicable	1.1	15	25	Temperature allowance met	
7/21/2011	14.8	14.8	13.8	1.0	not applicable	1.1	15	25	Temperature allowance met	
7/22/2011	14.6	14.7	13.7	0.9	not applicable	1.1	15	25	Temperature allowance met	
7/23/2011	14.7	14.6	13.8	0.9	not applicable	1.1	15	25	Temperature allowance met	
7/24/2011	14.6	not applicable	14.6	13.9	0.6	not applicable	1.1	15	25	Temperature allowance met
7/25/2011	14.7	14.6	14.2	0.4	not applicable	1.1	15	25	Temperature allowance met	
7/26/2011	14.8	14.6	14.3	0.3	not applicable	1.1	15	25	Temperature allowance met	
7/27/2011	14.7	14.6	14.3	0.3	not applicable	1.1	15	25	Temperature allowance met	
8/8/2011	14.8	14.9	14.7	0.2	not applicable	1.1	30	30	Temperature allowance met	
8/9/2011	14.9	14.9	14.6	0.3	not applicable	1.1	30	30	Temperature allowance met	
8/10/2011	14.9	14.9	14.5	0.3	not applicable	1.1	30	30	Temperature allowance met	
8/11/2011	14.8	14.8	14.5	0.3	not applicable	1.1	30	30	Temperature allowance met	
8/12/2011	14.7	14.7	14.4	0.3	not applicable	1.1	30	30	Temperature allowance met	
8/13/2011	14.5	14.7	14.4	0.3	not applicable	1.1	30	30	Temperature allowance met	
8/14/2011	14.7	14.7	14.3	0.4	not applicable	1.1	30	35	Temperature allowance met	
8/15/2011	14.9	14.7	14.2	0.5	not applicable	1.1	30	35	Temperature allowance met	

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
8/16/2011	14.8	14.7	14.2	0.5	not applicable	1.1	30	40	Temperature allowance met
8/17/2011	14.6	14.6	14.2	0.4	not applicable	1.1	30	40	Temperature allowance met
8/18/2011	14.5	14.6	14.2	0.4	not applicable	1.1	30	40	Temperature allowance met
8/19/2011	14.4	14.5	14.1	0.4	not applicable	1.1	30	40	Temperature allowance met
8/20/2011	14.2	14.5	14.1	0.4	not applicable	1.1	30	40	Temperature allowance met
8/21/2011	14.1	14.4	14.2	0.2	not applicable	1.1	30	40	Temperature allowance met
9/1/2011	14.1	14.1	13.9	0.2	not applicable	1.1	40	40	Temperature allowance met
9/2/2011	13.8	14.0	13.7	0.3	not applicable	1.1	40	40	Temperature allowance met
9/3/2011	14.0	14.0	13.5	0.5	not applicable	1.1	40	40	Temperature allowance met
9/4/2011	13.9	14.0	13.4	0.5	not applicable	1.1	40	40	Temperature allowance met
9/5/2011	13.9	13.9	13.4	0.5	not applicable	1.1	40	40	Temperature allowance met
9/6/2011	13.9	13.9	13.4	0.5	not applicable	1.1	40	40	Temperature allowance met
9/7/2011	14.0	13.9	13.5	0.3	not applicable	1.1	40	40	Temperature allowance met
9/18/2011	13.5	13.5	13.3	0.2	not applicable	1.1	40	45	Temperature allowance met
9/19/2011	13.5	13.5	13.2	0.2	not applicable	1.1	40	45	Temperature allowance met
9/20/2011	13.6	13.5	13.1	0.4	not applicable	1.1	40	45	Temperature allowance met
9/21/2011	13.5	13.5	13.0	0.5	not applicable	1.1	40	45	Temperature allowance met
9/22/2011	13.4	13.4	13.0	0.4	not applicable	1.1	40	50	Temperature allowance met
9/23/2011	13.5	13.4	13.2	0.3	not applicable	1.1	40	50	Temperature allowance met
9/26/2011	13.2	13.4	13.2	0.2	not applicable	1.1	40	50	Temperature allowance met
9/27/2011	13.0	13.3	13.1	0.2	not applicable	1.1	40	50	Temperature allowance met
9/28/2011	13.1	13.2	13.0	0.2	not applicable	1.1	40	50	Temperature allowance met
9/29/2011	13.1	13.2	12.9	0.3	not applicable	1.1	40	50	Temperature allowance met
9/30/2011	12.9	13.1	12.8	0.3	not applicable	1.1	40	50	Temperature allowance met
10/1/2011	12.7	13.0	12.7	0.3	not applicable	1.1	50	50	Temperature allowance met
10/2/2011	12.8	13.0	12.6	0.3	not applicable	1.1	50	50	Temperature allowance met
10/3/2011	12.6	12.9	12.5	0.4	not applicable	1.1	50	50	Temperature allowance met
10/4/2011	12.7	12.8	12.4	0.4	not applicable	1.1	50	50	Temperature allowance met
10/5/2011	12.6	12.8	12.2	0.5	not applicable	1.1	50	50	Temperature allowance met
10/6/2011	12.5	12.7	12.1	0.6	not applicable	1.1	50	50	Temperature allowance met
10/7/2011	12.7	12.7	11.9	0.8	not applicable	1.1	50	50	Temperature allowance met
10/8/2011	12.7	12.7	11.7	0.9	not applicable	1.1	50	50	Temperature allowance met
10/9/2011	12.5	12.6	11.7	0.9	not applicable	1.1	50	50	Temperature allowance met
10/10/2011	12.5	12.6	11.7	0.9	not applicable	1.1	50	50	Temperature allowance met
10/11/2011	12.8	12.6	11.7	0.9	not applicable	1.1	50	50	Temperature allowance met
10/12/2011	12.5	12.6	11.7	0.9	not applicable	1.1	50	50	Temperature allowance met
10/13/2011	12.3	12.6	11.8	0.8	not applicable	1.1	50	50	Temperature allowance met
10/14/2011	12.5	12.5	11.8	0.8	not applicable	1.1	50	50	Temperature allowance met
10/15/2011	12.3	12.5	11.8	0.7	not applicable	1.1	50	50	Temperature allowance met
10/16/2011	12.2	12.4	11.8	0.6	not applicable	1.1	50	50	Temperature allowance met
10/17/2011	12.2	12.4	11.7	0.7	not applicable	1.1	50	50	Temperature allowance met
10/18/2011	12.2	12.3	11.6	0.7	not applicable	1.1	50	50	Temperature allowance met
10/19/2011	12.2	12.3	11.7	0.6	not applicable	1.1	50	50	Temperature allowance met
10/20/2011	12.1	12.2	11.7	0.5	not applicable	1.1	50	50	Temperature allowance met
10/21/2011	12.1	12.2	11.7	0.5	not applicable	1.1	50	50	Temperature allowance met
10/22/2011	12.2	12.2	11.7	0.4	not applicable	1.1	50	50	Temperature allowance met
10/23/2011	12.1	12.2	11.7	0.4	not applicable	1.1	50	50	Temperature allowance met
10/24/2011	11.9	12.1	11.6	0.5	not applicable	1.1	50	50	Temperature allowance met
10/25/2011	11.9	12.1	11.5	0.6	not applicable	1.1	50	50	Temperature allowance met
10/26/2011	11.6	12.0	11.2	0.8	not applicable	1.1	50	50	Temperature allowance met
10/27/2011	11.5	11.9	11.0	0.9	not applicable	1.1	50	50	Temperature allowance met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/28/2011	11.2	11.8	10.8	1.0	not applicable	1.1	50	50	Temperature allowance met
10/29/2011	11.3	11.6	10.7	1.0	not applicable	1.1	50	50	Temperature allowance met
10/30/2011	11.2	11.5	10.6	0.9	not applicable	1.1	50	50	Temperature allowance met
10/31/2011	11.2	11.4	10.6	0.8	not applicable	1.1	50	50	Temperature allowance met
11/1/2011	11.1	11.3	10.5	0.8	not applicable	1.1	0	0	Temperature allowance met
11/2/2011	11.0	11.2	10.5	0.7	not applicable	1.1	0	0	Temperature allowance met
11/3/2011	11.1	11.2	10.4	0.7	not applicable	1.1	0	0	Temperature allowance met
11/4/2011	11.1	11.1	10.2	0.9	not applicable	1.1	0	0	Temperature allowance met
11/5/2011	10.9	11.1	10.0	1.1	not applicable	1.1	0	0	Temperature allowance met
11/6/2011	11.0	11.1	9.7	1.4	not applicable	1.1	0	0	Following Blend 17
11/7/2011	10.8	11.0	9.4	1.6	not applicable	1.1	0	0	Following Blend 17
11/8/2011	10.6	10.9	9.4	1.6	not applicable	1.1	0	0	Following Blend 17
11/9/2011	10.6	10.9	9.4	1.5	not applicable	1.1	0	0	Following Blend 17
11/10/2011	10.5	10.8	9.4	1.4	not applicable	1.1	0	0	Following Blend 17
11/11/2011	10.4	10.7	9.5	1.2	not applicable	1.1	0	0	Following Blend 17
11/12/2011	10.3	10.6	9.6	1.0	not applicable	1.1	0	0	Temperature allowance met
11/13/2011	10.3	10.5	9.7	0.8	not applicable	1.1	0	0	Temperature allowance met
11/14/2011	10.3	10.4	9.7	0.7	not applicable	1.1	0	0	Temperature allowance met
11/15/2011	10.1	10.4	9.7	0.7	not applicable	1.1	0	0	Temperature allowance met
11/16/2011	9.9	10.3	9.6	0.6	not applicable	1.1	0	0	Temperature allowance met
11/17/2011	9.9	10.2	9.6	0.6	not applicable	1.1	0	0	Temperature allowance met
11/18/2011	9.7	10.1	9.5	0.6	not applicable	1.1	0	0	Temperature allowance met
11/19/2011	9.6	10.0	9.4	0.6	not applicable	1.1	0	0	Temperature allowance met
11/20/2011	9.6	9.9	9.2	0.6	not applicable	1.1	0	0	Temperature allowance met
11/21/2011	9.5	9.8	9.2	0.6	not applicable	1.1	0	0	Temperature allowance met
11/22/2011	9.6	9.7	9.3	0.4	not applicable	1.1	0	0	Temperature allowance met
11/24/2011	9.4	9.6	9.4	0.2	not applicable	1.1	0	0	Temperature allowance met
12/5/2011	8.5	8.8	8.6	0.2	not applicable	1.1	0	0	Temperature allowance met
12/6/2011	8.4	8.7	8.4	0.3	not applicable	1.1	0	0	Temperature allowance met
12/7/2011	8.4	8.6	8.2	0.4	not applicable	1.1	0	0	Temperature allowance met
12/8/2011	8.3	8.5	8.1	0.4	not applicable	1.1	0	0	Temperature allowance met
12/9/2011	8.2	8.4	8.0	0.4	not applicable	1.1	0	0	Temperature allowance met
12/10/2011	8.0	8.3	8.0	0.3	not applicable	1.1	0	0	Temperature allowance met
12/11/2011	8.0	8.3	8.1	0.2	not applicable	1.1	0	0	Temperature allowance met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
5/24/2012	13.1	12.8	12.2	0.6	8.0	0.5	0	0	Following Blend 17
5/25/2012	13.1	12.8	12.1	0.7	8.0	0.5	0	5	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/26/2012	12.8	12.8	12.0	0.8	8.0	0.5	0	5	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/27/2012	12.3	12.8	12.1	0.7	8.0	0.1	0	5	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/28/2012	12.4	12.8	12.3	0.5	8.0	0.1	0	5	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/29/2012	12.7	12.8	12.4	0.3	8.0	0.1	0	5	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/30/2012	12.9	12.8	12.8	0.0	8.0	0.1	0	5	Temperature allowance met
6/8/2012	12.9	13.0	12.4	0.6	8.0	0.5	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/9/2012	13.1	13.1	12.4	0.6	8.0	0.5	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/10/2012	13.3	13.1	12.7	0.4	8.0	0.5	0	15	Temperature allowance met
6/11/2012	12.9	13.0	12.9	0.2	8.0	0.1	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/23/2012	13.9	13.9	13.2	0.7	8.0	0.1	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/24/2012	13.9	14.0	13.2	0.8	8.0	0.1	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/25/2012	13.7	14.0	13.2	0.7	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/26/2012	13.9	13.9	13.3	0.7	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/27/2012	14.1	13.9	13.2	0.7	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/28/2012	14.2	13.9	13.3	0.7	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/29/2012	13.8	13.9	13.4	0.5	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/30/2012	13.8	13.9	13.5	0.4	8.0	0.1	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/1/2012	14.0	14.0	13.8	0.2	8.0	0.1	15	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/2/2012	13.9	13.9	13.8	0.1	8.0	0.1	15	20	Temperature allowance met
7/17/2012	15.3	14.8	14.4	0.4	8.0	0.5	15	30	Temperature allowance met
7/18/2012	14.9	14.8	14.5	0.3	8.0	0.5	15	30	Temperature allowance met
7/19/2012	14.8	14.8	14.4	0.4	8.0	0.5	15	30	Temperature allowance met
7/20/2012	14.4	14.8	14.5	0.3	8.0	0.1	15	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/21/2012	14.6	14.8	14.5	0.3	8.0	0.1	15	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/22/2012	14.9	14.8	14.5	0.3	8.0	0.1	15	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/23/2012	14.6	14.7	14.5	0.2	8.0	0.1	15	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/24/2012	14.8	14.6	14.5	0.1	8.0	0.1	15	35	Temperature allowance met
8/27/2012	13.7	13.8	13.6	0.3	8.0	0.5	30	45	Temperature allowance met
8/28/2012	13.8	13.8	13.5	0.3	8.0	0.5	30	55	Temperature allowance met
8/29/2012	13.7	13.8	13.5	0.3	8.0	0.5	30	55	Temperature allowance met
8/30/2012	13.6	13.6	13.5	0.1	8.0	0.1	30	55	Temperature allowance met
10/4/2012	12.8	12.7	12.1	0.6	8.0	0.5	50	50	Following Blend 17
10/5/2012	12.6	12.7	11.8	0.9	8.0	0.5	50	50	Following Blend 17
10/6/2012	12.5	12.7	11.6	1.1	8.0	0.5	50	50	Following Blend 17
10/7/2012	12.5	12.6	11.4	1.2	8.0	0.1	50	50	Following Blend 17
10/8/2012	12.4	12.6	11.3	1.3	8.0	0.1	50	50	Following Blend 17
10/9/2012	12.4	12.5	11.3	1.2	8.0	0.1	50	50	Following Blend 17
10/10/2012	12.4	12.4	11.4	1.0	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/11/2012	12.3	12.4	11.5	0.9	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/12/2012	12.0	12.3	11.6	0.7	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/13/2012	12.1	12.2	11.8	0.5	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/14/2012	11.9	12.2	12.0	0.2	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/15/2012	12.2	12.1	12.0	0.1	8.0	0.1	50	65	Temperature allowance met
10/21/2012	11.5	11.8	11.3	0.5	8.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/22/2012	11.4	11.7	11.0	0.7	8.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/23/2012	11.3	11.6	10.8	0.7	8.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/24/2012	11.2	11.4	10.6	0.8	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/25/2012	11.2	11.4	10.4	1.0	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/26/2012	11.2	11.3	10.3	0.9	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/27/2012	11.0	11.2	10.5	0.7	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/28/2012	11.2	11.2	10.7	0.5	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/29/2012	11.4	11.2	11.0	0.2	8.0	0.1	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/30/2012	11.2	11.2	11.2	0.0	8.0	0.1	50	65	Temperature allowance met
11/7/2012	11.6	11.5	11.1	0.4	8.0	0.5	0	0	Temperature allowance met
11/8/2012	11.6	11.6	11.0	0.6	8.0	0.5	0	0	Following Blend 17
11/9/2012	11.4	11.6	10.7	0.9	8.0	0.5	0	0	Following Blend 17
11/10/2012	11.4	11.5	10.3	1.2	8.0	0.1	0	0	Following Blend 17
11/11/2012	11.1	11.4	10.1	1.3	8.0	0.1	0	0	Following Blend 17
11/12/2012	11.0	11.3	9.8	1.5	8.0	0.1	0	0	Following Blend 17
11/13/2012	10.9	11.2	9.6	1.6	8.0	0.1	0	0	Following Blend 17
11/14/2012	10.9	11.1	9.5	1.5	8.0	0.1	0	0	Following Blend 17
11/15/2012	10.8	11.0	9.6	1.4	8.0	0.1	0	0	Following Blend 17
11/16/2012	10.7	10.9	9.7	1.2	8.0	0.1	0	0	Following Blend 17
11/17/2012	10.6	10.8	9.8	1.0	8.0	0.1	0	0	Following Blend 17
11/18/2012	10.4	10.6	9.9	0.8	8.0	0.1	0	0	Following Blend 17
11/19/2012	10.2	10.6	9.9	0.6	8.0	0.1	0	0	Following Blend 17
11/20/2012	10.3	10.4	9.9	0.5	8.0	0.1	0	0	Following Blend 17
11/21/2012	10.1	10.3	9.9	0.4	8.0	0.1	0	0	Following Blend 17
11/22/2012	10.0	10.2	9.9	0.3	8.0	0.1	0	0	Following Blend 17
11/23/2012	9.9	10.1	9.9	0.2	8.0	0.1	0	0	Following Blend 17
11/24/2012	9.9	10.0	9.8	0.2	8.0	0.1	0	0	Following Blend 17
11/25/2012	9.9	10.0	9.6	0.3	8.0	0.1	0	0	Following Blend 17
11/26/2012	9.7	9.9	9.5	0.4	8.0	0.1	0	0	Following Blend 17
11/27/2012	9.6	9.8	9.4	0.4	8.0	0.1	0	0	Following Blend 17
11/28/2012	9.5	9.7	9.5	0.2	8.0	0.1	0	0	Following Blend 17
11/29/2012	9.4	9.6	9.5	0.1	8.0	0.1	0	0	Temperature allowance met
12/9/2012	9.0	9.2	9.0	0.2	8.0	0.5	0	0	Temperature allowance met
12/10/2012	9.0	9.2	8.9	0.2	8.0	0.5	0	0	Temperature allowance met
12/11/2012	8.9	9.1	8.9	0.2	8.0	0.5	0	0	Temperature allowance met
12/12/2012		9.0	8.8	0.2	8.0	0.1	0	0	Following Blend 17
12/13/2012	8.8	8.9	8.8	0.2	8.0	0.1	0	0	Following Blend 17
12/15/2012	8.5	8.7	8.5	0.2	8.0	0.1	0	0	Following Blend 17
12/16/2012	8.5	8.6	8.4	0.3	8.0	0.1	0	0	Following Blend 17
12/17/2012	8.4	8.5	8.1	0.4	8.0	0.1	0	0	Following Blend 17
12/18/2012	8.2	8.5	7.9	0.5	8.0	0.1	0	0	Following Blend 17
12/19/2012	8.1	8.3	7.9	0.4	8.0	0.1	0	0	Following Blend 17
12/20/2012	8.0	8.2	7.9	0.3	8.0	0.1	0	0	Following Blend 17
12/21/2012	7.9	8.1	8.0	0.1	8.0	0.1	0	0	Temperature allowance met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Differen ce (7DADM WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
5/17/2013	13.4	13.3	12.9	0.4	12.0	0.5	0	10	Temperature allowance met
5/18/2013	13.3	13.4	12.6	0.7	12.0	0.5	0	10	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/19/2013	13.4	13.4	12.4	1.0	12.0	0.5	0	10	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/20/2013	13.6	13.5	12.4	1.1	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/21/2013	13.0	13.4	12.4	1.0	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/22/2013	12.4	13.2	12.2	1.0	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/23/2013	13.0	13.2	12.2	1.0	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/24/2013	13.0	13.1	12.2	0.9	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/25/2013	13.2	13.1	12.3	0.8	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/26/2013	13.1	13.0	12.3	0.7	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/27/2013	12.8	12.9	12.2	0.8	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/28/2013	13.2	13.0	12.2	0.7	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/29/2013	13.3	13.1	12.5	0.6	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/30/2013	13.4	13.1	12.6	0.5	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/31/2013	13.4	13.2	12.7	0.5	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/1/2013	13.5	13.2	12.9	0.3	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/2/2013	13.5	13.3	13.0	0.3	12.0	0.3	0	20	Temperature allowance met
6/15/2013	14.2	13.9	13.7	0.2	12.0	0.3	0	20	Temperature allowance met
6/16/2013	14.0	13.9	13.6	0.3	12.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/17/2013	13.7	13.9	13.6	0.3	12.0	0.3	0	20	Temperature allowance met
6/18/2013	13.8	13.9	13.6	0.3	12.0	0.3	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/19/2013	13.7	13.9	13.6	0.3	12.0	0.3	0	25	Temperature allowance met
6/20/2013	13.5	13.8	13.6	0.2	12.0	0.3	0	25	Temperature allowance met
6/21/2013	13.5	13.8	13.5	0.3	12.0	0.3	0	25	Temperature allowance met
6/22/2013	13.9	13.7	13.4	0.3	12.0	0.3	0	25	Temperature allowance met
6/23/2013	13.4	13.6	13.3	0.3	12.0	0.3	0	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/24/2013	13.3	13.6	13.2	0.4	12.0	0.5	0	30	Temperature allowance met
6/25/2013	13.3	13.5	13.1	0.4	12.0	0.5	0	30	Temperature allowance met
6/26/2013	13.3	13.5	13.2	0.3	12.0	0.3	0	30	Temperature allowance met
9/22/2013	12.7	13.0	12.7	0.3	12.0	0.3	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/23/2013	12.5	12.9	12.5	0.4	12.0	0.5	40	60	Temperature allowance met
9/24/2013	12.4	12.9	12.4	0.4	12.0	0.5	40	60	Temperature allowance met
9/25/2013	12.6	12.8	12.3	0.5	12.0	0.5	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/26/2013	12.3	12.6	12.1	0.5	12.0	0.3	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/27/2013	12.2	12.5	11.9	0.6	12.0	0.3	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/28/2013	12.2	12.4	11.9	0.5	12.0	0.3	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/29/2013	12.0	12.3	11.8	0.5	12.0	0.3	40	60	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/30/2013	12.6	12.3	11.7	0.7	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/1/2013	12.3	12.3	11.5	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/2/2013	12.1	12.2	11.4	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/3/2013	12.2	12.2	11.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/4/2013	12.0	12.2	11.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/5/2013	11.9	12.2	11.2	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/6/2013	11.9	12.1	11.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/7/2013	11.9	12.0	11.3	0.7	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/8/2013	11.6	11.9	11.3	0.7	12.0	0.3	50	65	Temperature criterion met
10/9/2013	11.5	11.9	11.3	0.6	12.0	0.3	50	65	Temperature criterion met
10/10/2013	11.6	11.8	11.3	0.5	12.0	0.3	50	65	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Differen ce (7DADM WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/11/2013	11.5	11.7	11.3	0.4	12.0	0.3	50	65	Temperature criterion met
10/12/2013	11.3	11.6	11.1	0.5	12.0	0.3	50	65	Temperature criterion met
10/13/2013	11.4	11.5	11.0	0.5	12.0	0.3	50	65	Temperature criterion met
10/14/2013	11.4	11.5	10.9	0.5	12.0	0.3	50	65	Temperature criterion met
10/15/2013	11.3	11.4	10.9	0.5	12.0	0.3	50	65	Temperature criterion met
10/16/2013	11.3	11.4	10.9	0.5	12.0	0.3	50	65	Temperature criterion met
10/17/2013	11.2	11.3	10.9	0.4	12.0	0.3	50	65	Temperature criterion met
10/18/2013	11.2	11.3	10.9	0.4	12.0	0.3	50	65	Temperature criterion met
10/19/2013	11.2	11.3	10.9	0.3	12.0	0.3	50	65	Temperature criterion met
10/20/2013	11.2	11.3	11.0	0.3	12.0	0.3	50	65	Temperature criterion met
10/21/2013	11.1	11.2	11.0	0.2	12.0	0.3	50	65	Temperature criterion met
10/30/2013	10.6	10.8	10.6	0.3	12.0	0.3	50	65	Temperature criterion met
10/31/2013	10.3	10.7	10.5	0.2	12.0	0.3	50	0	Temperature criterion met
11/1/2013	10.6	10.7	10.4	0.3	12.0	0.3	0	0	Temperature criterion met
11/2/2013	10.6	10.6	10.3	0.3	12.0	0.3	0	0	Temperature criterion met
11/3/2013	10.5	10.6	10.2	0.3	12.0	0.3	0	0	Temperature criterion met
11/4/2013	10.7	10.6	10.3	0.3	12.0	0.3	0	0	Temperature criterion met
11/5/2013	10.8	10.6	10.4	0.2	12.0	0.3	0	0	Temperature criterion met
11/7/2013	10.9	10.7	10.5	0.2	12.0	0.3	0	0	Temperature criterion met
11/8/2013	10.8	10.7	10.4	0.3	12.0	0.3	0	0	Temperature criterion met
11/9/2013	10.8	10.8	10.4	0.4	12.0	0.3	0	0	Temperature criterion met
11/10/2013	10.9	10.8	10.4	0.4	12.0	0.3	0	0	Temperature criterion met
11/11/2013	10.7	10.8	10.4	0.4	12.0	0.3	0	0	Temperature criterion met
11/12/2013	10.8	10.8	10.5	0.4	12.0	0.3	0	0	Temperature criterion met
11/13/2013	10.8	10.8	10.4	0.4	12.0	0.3	0	0	Temperature criterion met
11/14/2013	10.6	10.8	10.3	0.5	12.0	0.3	0	0	Temperature criterion met
11/15/2013	10.4	10.7	10.2	0.5	12.0	0.3	0	0	Temperature criterion met
11/16/2013	10.4	10.7	10.2	0.5	12.0	0.3	0	0	Temperature criterion met
11/17/2013	10.3	10.6	10.1	0.5	12.0	0.3	0	0	Temperature criterion met
11/18/2013	10.2	10.5	10.1	0.4	12.0	0.3	0	0	Temperature criterion met
11/19/2013	10.2	10.4	10.0	0.4	12.0	0.3	0	0	Temperature criterion met
11/20/2013	10.1	10.3	9.9	0.4	12.0	0.3	0	0	Temperature criterion met
11/21/2013	9.7	10.2	9.7	0.5	12.0	0.3	0	0	Temperature criterion met
11/22/2013	9.6	10.1	9.5	0.6	12.0	0.3	0	0	Temperature criterion met
11/23/2013	9.4	9.9	9.2	0.7	12.0	0.3	0	0	Temperature criterion met
11/24/2013	9.2	9.8	9.0	0.8	12.0	0.3	0	0	Temperature criterion met
11/25/2013	9.0	9.6	8.7	0.9	12.0	0.3	0	0	Temperature criterion met
11/26/2013	8.9	9.4	8.4	1.0	12.0	0.3	0	0	Temperature criterion met
11/27/2013	8.8	9.2	8.3	1.0	12.0	0.3	0	0	Temperature criterion met
11/28/2013	8.7	9.1	8.3	0.8	12.0	0.3	0	0	Temperature criterion met
11/29/2013	8.6	8.9	8.5	0.5	12.0	0.3	0	0	Temperature criterion met
12/7/2013	7.7	8.4	8.0	0.4	12.0	0.5	0	0	Temperature criterion met
12/8/2013	7.4	8.2	7.3	0.9	12.0	0.5	0	0	Temperature criterion met
12/9/2013	7.1	7.9	6.9	1.1	12.0	0.5	0	0	Temperature criterion met
12/10/2013	7.0	7.7	6.8	0.9	12.0	0.3	0	0	Temperature criterion met
12/11/2013	6.8	7.5	6.8	0.7	12.0	0.3	0	0	Temperature criterion met
12/12/2013	6.8	7.3	7.0	0.3	12.0	0.3	0	0	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
5/8/2014	12.7	12.7	12.3	0.3	12.0	0.5	0	15	Temperature allowance met
5/9/2014	12.4	12.7	12.1	0.5	12.0	0.5	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/10/2014	12.3	12.7	12.0	0.7	12.0	0.5	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/11/2014	12.7	12.7	12.0	0.7	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/12/2014	12.9	12.7	12.0	0.7	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/13/2014	12.9	12.7	12.2	0.5	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/14/2014	13.1	12.7	12.4	0.3	12.0	0.3	0	15	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/15/2014	13.1	12.8	12.6	0.1	12.0	0.3	0	15	Temperature allowance met
5/20/2014	13.9	13.4	13.1	0.3	12.0	0.3	0	20	Temperature allowance met
5/21/2014	13.7	13.5	13.1	0.4	12.0	0.5	0	20	Temperature allowance met
5/22/2014	14.0	13.6	13.1	0.5	12.0	0.5	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/23/2014	13.7	13.7	13.1	0.6	12.0	0.5	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/24/2014	14.3	13.8	13.2	0.7	12.0	0.3	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/25/2014	13.9	13.9	13.3	0.6	12.0	0.3	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/26/2014	14.8	14.0	13.4	0.6	12.0	0.3	0	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/27/2014	14.5	14.1	13.4	0.8	12.0	0.3	0	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/28/2014	13.6	14.1	13.2	0.9	12.0	0.3	0	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/29/2014	14.0	14.1	13.1	1.0	12.0	0.3	0	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/30/2014	14.5	14.2	13.1	1.1	12.0	0.3	0	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/31/2014	14.5	14.3	13.1	1.2	12.0	0.3	0	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/1/2014	14.4	14.3	13.2	1.2	12.0	0.3	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/2/2014	14.2	14.2	13.3	1.0	12.0	0.3	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/3/2014	13.0	14.0	13.4	0.6	12.0	0.3	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/4/2014	12.8	13.9	13.7	0.3	12.0	0.3	0	30	Temperature allowance met
6/15/2014	13.8	13.5	13.3	0.1	12.0	0.3	0	30	Temperature allowance met
6/16/2014	13.6	13.5	13.1	0.5	12.0	0.5	0	40	Temperature allowance met
6/17/2014	13.5	13.5	12.8	0.7	12.0	0.5	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/18/2014	13.4	13.5	12.8	0.8	12.0	0.5	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/19/2014	13.1	13.5	12.8	0.7	12.0	0.3	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/20/2014	12.9	13.4	13.0	0.4	12.0	0.3	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/21/2014	13.0	13.3	13.1	0.3	12.0	0.3	0	40	Temperature allowance met
9/5/2014	13.6	13.5	13.3	0.3	12.0	0.3	40	60	Temperature allowance met
9/6/2014	13.5	13.6	13.3	0.3	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/7/2014	13.5	13.6	13.3	0.3	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/8/2014	13.5	13.6	13.3	0.3	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/9/2014	13.5	13.5	13.2	0.4	12.0	0.5	40	65	Temperature allowance met
9/10/2014	13.6	13.5	13.2	0.4	12.0	0.5	40	65	Temperature allowance met
9/11/2014	13.4	13.5	13.1	0.4	12.0	0.5	40	65	Temperature allowance met
9/12/2014	13.5	13.5	13.0	0.5	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/13/2014	13.4	13.5	12.9	0.6	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/14/2014	13.4	13.5	12.9	0.6	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
9/15/2014	13.3	13.4	12.8	0.6	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/16/2014	13.4	13.4	12.8	0.6	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/17/2014	13.3	13.4	12.9	0.5	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/18/2014	13.3	13.4	13.0	0.4	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/19/2014	13.5	13.4	13.1	0.3	12.0	0.3	40	65	Temperature allowance met
9/20/2014	13.5	13.4	13.2	0.2	12.0	0.3	40	65	Temperature allowance met
9/25/2014	13.6	13.5	13.2	0.3	12.0	0.3	40	65	Temperature allowance met
9/26/2014	13.7	13.5	13.1	0.4	12.0	0.5	40	65	Temperature allowance met
9/27/2014	13.6	13.5	13.0	0.6	12.0	0.5	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/28/2014	13.7	13.6	12.9	0.7	12.0	0.5	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/29/2014	13.5	13.5	12.7	0.8	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/30/2014	13.4	13.5	12.6	1.0	12.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/1/2014	13.6	13.6	12.5	1.1	12.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/2/2014	13.6	13.6	12.4	1.2	12.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/3/2014	13.6	13.6	12.4	1.2	12.0	0.5	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/4/2014	13.6	13.6	12.4	1.2	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/5/2014	13.6	13.6	12.4	1.1	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/6/2014	13.4	13.5	12.5	1.1	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/7/2014	13.4	13.5	12.6	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/8/2014	13.3	13.5	12.6	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/9/2014	13.3	13.5	12.6	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/10/2014	13.2	13.4	12.7	0.7	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/11/2014	13.2	13.3	12.6	0.7	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/12/2014	13.2	13.3	12.5	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/13/2014	13.1	13.2	12.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/14/2014	13.0	13.2	12.2	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/15/2014	13.0	13.1	12.1	1.1	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/16/2014	13.2	13.1	12.0	1.1	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/17/2014	12.8	13.1	12.0	1.1	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/18/2014	12.9	13.0	12.0	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/19/2014	12.8	13.0	12.0	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/20/2014	12.5	12.9	12.0	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/21/2014	12.6	12.8	12.0	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/22/2014	12.7	12.8	12.0	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/23/2014	12.7	12.7	12.0	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/24/2014	12.4	12.7	11.9	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/25/2014	12.5	12.6	11.8	0.8	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/26/2014	12.3	12.5	11.6	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/27/2014	12.2	12.5	11.4	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/28/2014	12.0	12.4	11.4	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/29/2014	12.0	12.3	11.3	1.0	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/30/2014	12.1	12.2	11.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/31/2014	11.9	12.1	11.3	0.9	12.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
11/1/2014	11.9	12.1	11.1	0.9	12.0	0.3	0	0	Following Blend 17
11/2/2014	11.8	12.0	11.1	0.9	12.0	0.3	0	0	Temperature criterion met
11/3/2014	11.7	11.9	11.1	0.8	12.0	0.3	0	0	Temperature criterion met
11/4/2014	11.7	11.9	11.1	0.7	12.0	0.3	0	0	Temperature criterion met
11/5/2014	11.7	11.8	11.2	0.6	12.0	0.3	0	0	Temperature criterion met
11/6/2014	11.6	11.8	11.2	0.6	12.0	0.3	0	0	Temperature criterion met
11/7/2014	11.7	11.7	11.1	0.6	12.0	0.3	0	0	Temperature criterion met
11/8/2014	11.8	11.7	11.2	0.6	12.0	0.3	0	0	Temperature criterion met
11/9/2014	11.9	11.7	11.2	0.5	12.0	0.3	0	0	Temperature criterion met
11/10/2014	11.9	11.8	11.1	0.7	12.0	0.3	0	0	Temperature criterion met
11/11/2014	11.6	11.7	10.8	0.9	12.0	0.3	0	0	Temperature criterion met
11/12/2014	11.3	11.7	10.3	1.4	12.0	0.3	0	0	Temperature criterion met
11/13/2014	11.0	11.6	9.7	1.9	12.0	0.3	0	0	Temperature criterion met
11/14/2014	10.8	11.5	9.2	2.3	12.0	0.3	0	0	Temperature criterion met
11/15/2014	10.4	11.3	8.6	2.7	12.0	0.3	0	0	Temperature criterion met
11/16/2014	10.0	11.0	7.9	3.1	12.0	0.3	0	0	Temperature criterion met
11/17/2014	9.7	10.7	7.4	3.3	12.0	0.3	0	0	Temperature criterion met
11/18/2014	9.5	10.4	7.1	3.3	12.0	0.3	0	0	Temperature criterion met
11/19/2014	9.5	10.1	7.1	3.0	12.0	0.3	0	0	Temperature criterion met
11/20/2014	9.5	9.9	7.2	2.7	12.0	0.3	0	0	Temperature criterion met
11/21/2014	9.4	9.7	7.5	2.2	12.0	0.3	0	0	Temperature criterion met
11/22/2014	9.5	9.6	7.9	1.7	12.0	0.3	0	0	Temperature criterion met
11/23/2014	9.5	9.5	8.3	1.3	12.0	0.3	0	0	Temperature criterion met
11/24/2014	9.5	9.5	8.7	0.8	12.0	0.3	0	0	Temperature criterion met
11/25/2014	9.7	9.5	9.1	0.4	12.0	0.3	0	0	Temperature criterion met
12/2/2014	9.1	9.4	9.1	0.3	12.0	0.5	0	0	Temperature criterion met
12/3/2014	8.9	9.3	8.8	0.5	12.0	0.5	0	0	Temperature criterion met
12/4/2014	8.8	9.2	8.6	0.6	12.0	0.5	0	0	Temperature criterion met
12/5/2014	8.7	9.1	8.4	0.7	12.0	0.3	0	0	Temperature criterion met
12/6/2014	8.6	8.9	8.4	0.6	12.0	0.3	0	0	Temperature criterion met
12/7/2014	8.5	8.8	8.5	0.3	12.0	0.3	0	0	Temperature criterion met
12/31/2014	7.3	7.8	7.5	0.3	12.0	0.3	0	0	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
1/1/2015	7.0	7.6	7.1	0.5	13.0	0.5	0	0	Temperature criterion met
1/2/2015	6.6	7.4	7.0	0.4	13.0	0.5	0	0	Temperature criterion met
1/3/2015	6.7	7.2	7.0	0.3	13.0	0.5	0	0	Temperature criterion met
5/8/2015	13.5	13.0	12.7	0.3	13.0	0.5	0	0	Temperature criterion met
5/9/2015	13.5	13.1	12.6	0.5	13.0	0.5	0	10	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/10/2015	13.3	13.2	12.6	0.6	13.0	0.5	0	10	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/11/2015	12.9	13.2	12.5	0.7	13.0	0.3	0	20	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/12/2015	13.0	13.1	12.4	0.8	13.0	0.3	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/13/2015	12.5	13.2	12.4	0.8	13.0	0.3	0	25	Adaptive mgmt. for temp., increased SWW bottom withdrawal
5/14/2015	12.3	13.0	12.4	0.6	13.0	0.3	0	25	Temperature criterion met
5/15/2015	12.2	12.8	12.3	0.5	13.0	0.3	0	25	Temperature criterion met
5/16/2015	12.1	12.6	12.2	0.4	13.0	0.3	0	25	Temperature criterion met
6/5/2015	14.5	14.3	13.9	0.4	13.0	0.5	0	35	Temperature allowance met
6/6/2015	14.2	14.3	13.9	0.3	13.0	0.5	0	40	Temperature allowance met
7/10/2015	14.8	15.4	15.0	0.3	13.0	0.3	15	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/11/2015	15.0	15.3	15.0	0.3	13.0	0.5	15	40	Temperature allowance met
7/12/2015	14.3	15.2	14.8	0.4	13.0	0.5	15	40	Temperature allowance met
7/13/2015	13.9	15.0	14.7	0.3	13.0	0.3	15	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
9/4/2015	13.4	13.5	13.0	0.4	13.0	0.5	40	65	Temperature allowance met
9/5/2015	13.6	13.5	12.9	0.6	13.0	0.5	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/6/2015	13.4	13.5	12.7	0.8	13.0	0.5	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/7/2015	13.8	13.6	12.6	0.9	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/8/2015	14.0	13.6	12.6	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/9/2015	13.8	13.7	12.7	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/10/2015	13.6	13.7	12.8	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/11/2015	13.8	13.7	13.1	0.6	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/12/2015	13.8	13.7	13.3	0.4	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/15/2015	13.4	13.7	13.3	0.3	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/16/2015	13.6	13.6	13.1	0.5	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/17/2015	13.4	13.6	12.9	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/18/2015	13.7	13.6	12.8	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/19/2015	13.8	13.6	12.6	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/20/2015	13.8	13.6	12.6	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/21/2015	13.7	13.6	12.6	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/22/2015	13.6	13.7	12.8	0.9	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/23/2015	13.7	13.7	12.9	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp. (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
9/24/2015	13.7	13.7	13.0	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/25/2015	13.8	13.7	13.0	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/26/2015	13.6	13.7	13.0	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/27/2015	13.7	13.7	12.8	0.9	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/28/2015	13.6	13.7	12.6	1.1	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/29/2015	13.5	13.7	12.5	1.1	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/30/2015	13.5	13.6	12.4	1.2	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/1/2015	13.5	13.6	12.4	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/2/2015	13.4	13.5	12.4	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/3/2015	13.2	13.5	12.2	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/4/2015	13.4	13.4	12.3	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/5/2015	13.4	13.4	12.2	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/6/2015	13.3	13.4	12.3	1.1	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/7/2015	13.1	13.3	12.4	1.0	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/8/2015	13.1	13.3	12.4	0.8	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/9/2015	13.3	13.3	12.5	0.8	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/10/2015	13.3	13.3	12.7	0.6	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/11/2015	13.3	13.3	12.8	0.5	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/12/2015	13.3	13.2	12.8	0.4	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/13/2015	13.3	13.2	12.8	0.4	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/14/2015	13.2	13.3	12.7	0.5	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/15/2015	13.1	13.3	12.6	0.7	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/16/2015	13.0	13.2	12.4	0.8	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/17/2015	12.8	13.1	12.2	0.9	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/18/2015	13.0	13.1	12.2	0.9	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/19/2015	12.9	13.0	12.2	0.9	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/20/2015	12.9	13.0	12.1	0.9	13.0	0.3	50	65	Temperature criterion met
10/21/2015	12.8	12.9	12.0	0.9	13.0	0.3	50	65	Temperature criterion met
10/22/2015	12.8	12.9	11.9	1.0	13.0	0.3	50	65	Temperature criterion met
10/23/2015	12.7	12.8	11.8	1.0	13.0	0.3	50	65	Temperature criterion met
10/24/2015	12.6	12.8	11.7	1.1	13.0	0.3	50	65	Temperature criterion met
10/25/2015	12.4	12.7	11.5	1.2	13.0	0.3	50	65	Temperature criterion met
10/26/2015	12.6	12.7	11.3	1.3	13.0	0.3	50	65	Temperature criterion met
10/27/2015	12.2	12.6	11.2	1.4	13.0	0.3	50	65	Temperature criterion met
10/28/2015	12.2	12.5	11.2	1.3	13.0	0.3	50	65	Temperature criterion met
10/29/2015	12.3	12.4	11.1	1.3	13.0	0.3	50	65	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/30/2015	12.3	12.4	11.2	1.1	13.0	0.3	50	65	Temperature criterion met
10/31/2015	12.3	12.3	11.4	0.9	13.0	0.3	50	65	Temperature criterion met
11/1/2015	12.2	12.3	11.5	0.8	13.0	0.3	0	0	Temperature criterion met
11/2/2015	12.1	12.2	11.5	0.8	13.0	0.3	0	0	Temperature criterion met
11/3/2015	11.9	12.2	11.4	0.8	13.0	0.3	0	0	Temperature criterion met
11/4/2015	11.8	12.1	11.2	1.0	13.0	0.3	0	0	Temperature criterion met
11/5/2015	11.7	12.0	11.0	1.0	13.0	0.3	0	0	Temperature criterion met
11/6/2015	11.9	12.0	10.8	1.2	13.0	0.3	0	0	Temperature criterion met
11/7/2015	11.8	11.9	10.6	1.4	13.0	0.3	0	0	Temperature criterion met
11/8/2015	12.0	11.9	10.4	1.5	13.0	0.3	0	0	Temperature criterion met
11/9/2015	11.9	11.9	10.3	1.5	13.0	0.3	0	0	Temperature criterion met
11/10/2015	11.8	11.8	10.3	1.6	13.0	0.3	0	0	Temperature criterion met
11/11/2015	11.6	11.8	10.3	1.6	13.0	0.3	0	0	Temperature criterion met
11/12/2015	11.6	11.8	10.2	1.6	13.0	0.3	0	0	Temperature criterion met
11/13/2015	11.5	11.7	10.3	1.5	13.0	0.3	0	0	Temperature criterion met
11/14/2015	11.5	11.7	10.3	1.4	13.0	0.3	0	0	Temperature criterion met
11/15/2015	11.3	11.6	10.3	1.3	13.0	0.3	0	0	Temperature criterion met
11/16/2015	11.2	11.5	10.2	1.3	13.0	0.3	0	0	Temperature criterion met
11/17/2015	11.2	11.4	10.4	1.1	13.0	0.3	0	0	Temperature criterion met
11/18/2015	11.0	11.3	10.4	0.9	13.0	0.3	0	0	Temperature criterion met
11/19/2015	10.7	11.2	10.5	0.7	13.0	0.3	0	0	Temperature criterion met
11/20/2015	10.8	11.1	10.3	0.8	13.0	0.3	0	0	Temperature criterion met
11/21/2015	10.8	11.0	10.2	0.8	13.0	0.3	0	0	Temperature criterion met
11/22/2015	10.6	10.9	10.0	0.9	13.0	0.3	0	0	Temperature criterion met
11/23/2015	10.4	10.8	10.0	0.8	13.0	0.3	0	0	Temperature criterion met
11/24/2015	10.3	10.7	9.8	0.9	13.0	0.3	0	0	Temperature criterion met
11/25/2015	10.1	10.5	9.5	1.1	13.0	0.3	0	0	Temperature criterion met
11/26/2015	9.9	10.4	9.1	1.4	13.0	0.3	0	0	Temperature criterion met
11/27/2015	9.6	10.2	8.7	1.6	13.0	0.3	0	0	Temperature criterion met
11/28/2015	9.3	10.0	8.4	1.7	13.0	0.3	0	0	Temperature criterion met
11/29/2015	9.2	9.8	8.1	1.7	13.0	0.3	0	0	Temperature criterion met
11/30/2015	8.8	9.6	7.8	1.8	13.0	0.3	0	0	Temperature criterion met
12/1/2015	8.7	9.4	7.5	1.9	13.0	0.3	0	0	Temperature criterion met
12/9/2015	9.2	9.0	8.3	0.7	13.0	0.5	0	0	Temperature criterion met
12/10/2015	9.1	9.0	8.6	0.4	13.0	0.5	0	0	Temperature criterion met
12/31/2015	7.3	7.7	7.4	0.3	13.0	0.5	0	0	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp (7DAD M) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
4/27/2016	12.3	12.4	12.1	0.4	13.0	0.5	0	0	Temperature criterion met
4/28/2016	12.5	12.4	12.0	0.5	13.0	0.5	0	0	Temperature criterion met
4/29/2016	12.0	12.3	11.8	0.5	13.0	0.5	0	0	Temperature criterion met
4/30/2016	12.7	12.4	11.9	0.5	13.0	0.3	0	0	Temperature criterion met
5/1/2016	13.2	12.5	12.0	0.5	13.0	0.3	0	0	Temperature criterion met
5/2/2016	12.8	12.6	12.3	0.3	13.0	0.3	0	0	Temperature criterion met
5/25/2016	13.3	12.9	12.6	0.3	13.0	0.5	0	25	Temperature criterion met
5/26/2016	13.1	13.0	12.7	0.3	13.0	0.5	0	25	Temperature criterion met
6/13/2016	14.2	14.3	13.8	0.5	13.0	0.5	0	30	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/14/2016	13.9	14.3	13.4	0.9	13.0	0.5	0	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/15/2016	13.8	14.3	13.1	1.2	13.0	0.5	0	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/16/2016	13.9	14.3	13.0	1.3	13.0	0.3	0	45	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/17/2016	13.3	14.1	12.9	1.2	13.0	0.3	0	50	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/18/2016	13.0	13.9	12.8	1.0	13.0	0.3	0	50	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/19/2016	12.5	13.5	12.7	0.8	13.0	0.3	0	50	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/20/2016	12.6	13.3	12.8	0.4	13.0	0.3	0	50	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/9/2016	14.6	14.3	14.1	0.1	13.0	0.3	15	40	Temperature allowance met
7/10/2016	13.8	14.2	13.9	0.3	13.0	0.3	15	40	Adaptive mgmt. for temp., increased SWW bottom withdrawal
7/11/2016	14.0	14.1	13.9	0.3	13.0	0.3	15	55	Temperature allowance met
7/12/2016	14.0	14.1	13.9	0.2	13.0	0.3	15	65	Temperature allowance met
9/5/2016	13.6	13.4	13.2	0.3	13.0	0.3	40	65	Temperature allowance met
9/6/2016	13.2	13.4	13.1	0.4	13.0	0.5	40	65	Temperature allowance met
9/7/2016	13.6	13.4	13.0	0.4	13.0	0.5	40	65	Temperature allowance met
9/8/2016	13.5	13.5	13.1	0.4	13.0	0.5	40	65	Temperature allowance met
9/9/2016	13.6	13.5	13.0	0.5	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/10/2016	13.5	13.5	13.1	0.4	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/11/2016	13.5	13.5	13.2	0.3	13.0	0.3	40	65	Temperature allowance met
9/12/2016	13.6	13.5	13.1	0.4	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/13/2016	13.8	13.6	13.0	0.5	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/14/2016	13.6	13.6	12.9	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/15/2016	13.4	13.6	12.8	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/16/2016	13.4	13.5	12.8	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/17/2016	13.4	13.5	12.8	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculate d Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
9/18/2016	13.5	13.5	12.8	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/19/2016	13.5	13.5	12.8	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/20/2016	13.6	13.5	12.8	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/21/2016	13.4	13.5	12.8	0.7	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/22/2016	13.5	13.5	12.7	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/23/2016	13.3	13.5	12.5	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/24/2016	13.6	13.5	12.4	1.1	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/25/2016	13.6	13.5	12.3	1.2	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/26/2016	13.7	13.5	12.4	1.1	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/27/2016	13.6	13.5	12.5	1.0	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/28/2016	13.6	13.6	12.7	0.9	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/29/2016	13.6	13.6	12.8	0.8	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
9/30/2016	13.5	13.6	13.0	0.6	13.0	0.3	40	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/1/2016	13.4	13.6	12.9	0.7	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/2/2016	13.2	13.5	12.7	0.8	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/3/2016	13.2	13.4	12.4	1.1	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/4/2016	13.2	13.4	12.1	1.2	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/5/2016	13.0	13.3	11.9	1.4	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/6/2016	13.2	13.2	11.7	1.5	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/7/2016	13.3	13.2	11.7	1.5	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/8/2016	13.3	13.2	11.9	1.3	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/9/2016	13.2	13.2	12.1	1.1	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/10/2016	13.2	13.2	12.2	1.0	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/11/2016	13.0	13.2	12.2	1.0	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/12/2016	12.7	13.1	12.2	1.0	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/13/2016	12.4	13.0	12.2	0.8	13.0	0.3	50	65	Adaptive mgmt. for temp., max. SWW bottom withdrawal
10/14/2016	12.9	13.0	12.0	0.9	13.0	0.3	50	65	Temperature criterion met
10/15/2016	12.6	12.9	11.8	1.1	13.0	0.3	50	65	Temperature criterion met
10/16/2016	12.3	12.7	11.5	1.2	13.0	0.3	50	65	Temperature criterion met
10/17/2016	12.1	12.6	11.4	1.2	13.0	0.3	50	65	Temperature criterion met
10/18/2016	12.0	12.4	11.3	1.1	13.0	0.3	50	65	Temperature criterion met
10/19/2016	12.0	12.3	11.2	1.1	13.0	0.3	50	65	Temperature criterion met
10/20/2016	11.9	12.3	11.2	1.1	13.0	0.3	50	65	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg. Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/21/2016	11.9	12.1	11.1	1.0	13.0	0.3	50	65	Temperature criterion met
10/22/2016	11.8	12.0	11.1	0.9	13.0	0.3	50	65	Temperature criterion met
10/23/2016	11.7	11.9	11.0	0.9	13.0	0.3	50	65	Temperature criterion met
10/24/2016	11.7	11.9	11.0	0.8	13.0	0.3	50	65	Temperature criterion met
10/25/2016	11.7	11.8	11.1	0.7	13.0	0.3	50	65	Temperature criterion met
10/26/2016	11.6	11.8	11.2	0.6	13.0	0.3	50	65	Temperature criterion met
10/27/2016	11.5	11.7	11.1	0.6	13.0	0.3	50	65	Temperature criterion met
10/28/2016	11.7	11.7	11.1	0.6	13.0	0.3	50	0	Temperature criterion met
10/29/2016	11.4	11.6	11.1	0.5	13.0	0.3	50	0	Temperature criterion met
10/30/2016	11.4	11.6	11.1	0.5	13.0	0.3	50	0	Temperature criterion met
10/31/2016	11.6	11.6	11.0	0.5	13.0	0.3	50	0	Temperature criterion met
11/1/2016	11.7	11.6	11.0	0.6	13.0	0.3	0	0	Temperature criterion met
11/2/2016	11.7	11.6	10.9	0.6	13.0	0.3	0	0	Temperature criterion met
11/3/2016	11.7	11.6	10.9	0.7	13.0	0.3	0	0	Temperature criterion met
11/4/2016	11.8	11.6	11.0	0.6	13.0	0.3	0	0	Temperature criterion met
11/5/2016	11.6	11.6	11.0	0.7	13.0	0.3	0	0	Temperature criterion met
11/6/2016	11.8	11.7	11.0	0.7	13.0	0.3	0	0	Temperature criterion met
11/7/2016	11.8	11.7	11.0	0.7	13.0	0.3	0	0	Temperature criterion met
11/8/2016	11.8	11.7	11.1	0.6	13.0	0.3	0	0	Temperature criterion met
11/9/2016	11.7	11.7	11.2	0.6	13.0	0.3	0	0	Temperature criterion met
11/10/2016	11.7	11.7	11.2	0.6	13.0	0.3	0	0	Temperature criterion met
11/11/2016	11.6	11.7	11.2	0.5	13.0	0.3	0	0	Temperature criterion met
11/12/2016	11.7	11.7	11.2	0.5	13.0	0.3	0	0	Temperature criterion met
11/13/2016	11.5	11.7	11.2	0.5	13.0	0.3	0	0	Temperature criterion met
11/14/2016	11.5	11.6	11.2	0.4	13.0	0.3	0	0	Temperature criterion met
11/15/2016	11.5	11.6	11.1	0.5	13.0	0.3	0	0	Temperature criterion met
11/16/2016	11.3	11.5	10.9	0.6	13.0	0.3	0	0	Temperature criterion met
11/17/2016	11.2	11.5	10.7	0.8	13.0	0.3	0	0	Temperature criterion met
11/18/2016	11.0	11.4	10.4	1.0	13.0	0.3	0	0	Temperature criterion met
11/19/2016	11.1	11.3	10.2	1.1	13.0	0.3	0	0	Temperature criterion met
11/20/2016	10.8	11.2	10.1	1.1	13.0	0.3	0	0	Temperature criterion met
11/21/2016	10.8	11.1	9.9	1.2	13.0	0.3	0	0	Temperature criterion met
11/22/2016	10.6	11.0	9.7	1.3	13.0	0.3	0	0	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
11/23/2016	10.6	10.9	9.7	1.2	13.0	0.3	0	0	Temperature criterion met
11/24/2016	10.3	10.7	9.7	1.0	13.0	0.3	0	0	Temperature criterion met
11/25/2016	10.3	10.6	9.8	0.8	13.0	0.3	0	0	Temperature criterion met
11/26/2016	10.2	10.5	9.8	0.7	13.0	0.3	0	0	Temperature criterion met
11/27/2016	10.0	10.4	9.7	0.7	13.0	0.3	0	0	Temperature criterion met
11/28/2016	10.0	10.3	9.6	0.7	13.0	0.3	0	0	Temperature criterion met
11/29/2016	9.9	10.2	9.6	0.6	13.0	0.3	0	0	Temperature criterion met
11/30/2016	9.8	10.1	9.6	0.5	13.0	0.3	0	0	Temperature criterion met
12/1/2016	9.6	10.0	9.5	0.4	13.0	0.3	0	0	Temperature criterion met
12/2/2016	9.5	9.9	9.4	0.4	13.0	0.3	0	0	Temperature criterion met
12/3/2016	9.5	9.8	9.3	0.4	13.0	0.3	0	0	Temperature criterion met
12/4/2016	9.3	9.7	9.3	0.4	13.0	0.3	0	0	Temperature criterion met
12/5/2016	9.2	9.5	9.2	0.4	13.0	0.3	0	0	Temperature criterion met
12/6/2016	9.1	9.4	9.0	0.4	13.0	0.3	0	0	Temperature criterion met
12/7/2016	8.9	9.3	8.7	0.6	13.0	0.3	0	0	Temperature criterion met
12/8/2016	8.7	9.2	8.4	0.8	13.0	0.3	0	0	Temperature criterion met
12/9/2016	8.4	9.0	8.2	0.8	13.0	0.3	0	0	Temperature criterion met
12/10/2016	8.3	8.8	8.1	0.8	13.0	0.3	0	0	Temperature criterion met
12/11/2016	8.3	8.7	8.0	0.7	13.0	0.3	0	0	Temperature criterion met
12/12/2016	8.1	8.5	7.9	0.6	13.0	0.3	0	0	Temperature criterion met
12/13/2016	7.9	8.4	7.8	0.6	13.0	0.3	0	0	Temperature criterion met
12/14/2016	7.8	8.2	7.8	0.4	13.0	0.3	0	0	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
5/16/2017	12.6	12.5	12.2	0.2	13	0.5	0	0	Temperature criterion met
5/17/2017	13.0	12.6	12.0	0.5	13	0.5	0	0	Temperature criterion met
5/18/2017	13.1	12.7	12.0	0.7	13	0.5	0	0	Temperature criterion met
5/19/2017	13.0	12.8	12.3	0.6	13	0.3	0	15	Temperature criterion met
5/20/2017	13.1	12.9	12.5	0.4	13	0.3	0	15	Temperature criterion met
6/4/2017	13.7	14.1	13.9	0.2	13	0.3	0	20	Temperature allowance met
6/5/2017	13.9	14.0	13.8	0.2	13	0.3	0	20	Temperature allowance met
6/6/2017	13.6	14.0	13.8	0.2	13	0.3	0	20	Temperature allowance met
6/10/2017	13.2	13.5	13.3	0.2	13	0.3	0	30	Temperature allowance met
6/11/2017	12.9	13.4	13.2	0.2	13	0.3	0	30	Temperature allowance met
6/12/2017	13.0	13.3	13.1	0.2	13	0.3	0	30	Temperature allowance met
6/13/2017	12.9	13.2	13.0	0.2	13	0.3	0	30	Temperature allowance met
6/14/2017	12.8	13.1	12.8	0.3	13	0.3	0	35	Adaptive mgmt. for temp., increased SWW bottom withdrawal
6/15/2017	12.6	13.0	12.7	0.3	13	0.3	0	35	Temperature criterion met
8/11/2017	14.8	14.9	14.7	0.2	13	0.3	30	40	Temperature allowance met
8/12/2017	15.0	14.9	14.7	0.2	13	0.3	30	65	Temperature allowance met
8/13/2017	14.6	14.9	14.7	0.2	13	0.3	30	65	Temperature allowance met
8/14/2017	13.9	14.7	14.5	0.3	13	0.3	30	65	Temperature allowance met
9/20/2017	12.6	12.7	12.4	0.3	13	0.5	40	65	Temperature criterion met
9/21/2017	12.5	12.6	12.1	0.5	13	0.5	40	65	Temperature criterion met
9/22/2017	12.6	12.6	12.0	0.6	13	0.5	40	65	Temperature criterion met
9/23/2017	12.7	12.6	12.0	0.6	13	0.3	40	65	Temperature criterion met
9/24/2017	12.8	12.6	11.9	0.7	13	0.3	40	65	Temperature criterion met
9/25/2017	12.6	12.6	12.0	0.7	13	0.3	40	65	Temperature criterion met
9/26/2017	12.8	12.7	12.1	0.6	13	0.3	40	65	Temperature criterion met
9/27/2017	12.8	12.7	12.2	0.5	13	0.3	40	65	Temperature criterion met
9/28/2017	12.8	12.7	12.4	0.3	13	0.3	40	65	Temperature criterion met
10/2/2017	12.6	12.6	12.3	0.3	13	0.5	50	65	Temperature criterion met
10/3/2017	12.5	12.6	12.1	0.5	13	0.5	50	65	Temperature criterion met
10/4/2017	12.6	12.6	11.9	0.7	13	0.5	50	65	Temperature criterion met
10/5/2017	12.5	12.5	11.7	0.9	13	0.3	50	65	Temperature criterion met
10/6/2017	12.4	12.5	11.6	0.9	13	0.3	50	65	Temperature criterion met
10/7/2017	12.4	12.5	11.6	0.9	13	0.3	50	65	Temperature criterion met
10/8/2017	12.4	12.5	11.5	1.0	13	0.3	50	65	Temperature criterion met
10/9/2017	12.2	12.4	11.5	0.9	13	0.3	50	65	Temperature criterion met
10/10/2017	12.0	12.4	11.5	0.8	13	0.3	50	65	Temperature criterion met
10/11/2017	11.9	12.3	11.4	0.8	13	0.3	50	65	Temperature criterion met
10/12/2017	11.8	12.2	11.3	0.9	13	0.3	50	65	Temperature criterion met
10/13/2017	11.6	12.0	11.1	0.9	13	0.3	50	65	Temperature criterion met
10/14/2017	11.6	11.9	10.9	1.0	13	0.3	50	65	Temperature criterion met
10/15/2017	11.6	11.8	10.8	1.0	13	0.3	50	65	Temperature criterion met
10/16/2017	11.6	11.7	10.8	0.9	13	0.3	50	65	Temperature criterion met
10/17/2017	11.6	11.7	10.8	0.9	13	0.3	50	65	Temperature criterion met
10/18/2017	11.5	11.6	11.0	0.6	13	0.3	50	65	Temperature criterion met
10/19/2017	11.3	11.5	11.1	0.4	13	0.3	50	65	Temperature criterion met
10/20/2017	11.4	11.5	11.2	0.3	13	0.3	50	65	Temperature criterion met

Temperature Data: 2011-2017

Date	Daily Max. Temp. at Rereg Dam (°C)	7-day Avg. Daily Max. Temp (7DADM) at Rereg. Dam (°C)	Calculated Without Project (WPT) (°C)	Difference (7DADM-WPT) (°C)	Temp. Criterion (°C)	Temp. Allowance (°C)	Blend 17 (% SWW bottom withdrawal)	Actual % SWW bottom withdrawal	Evaluation
10/21/2017	11.3	11.5	11.2	0.2	13	0.3	50	65	Temperature criterion met
11/4/2017	10.4	10.8	10.5	0.4	13	0.5	0	0	Temperature criterion met
11/5/2017	10.4	10.7	10.3	0.5	13	0.5	0	0	Temperature criterion met
11/6/2017	10.5	10.7	10.1	0.5	13	0.5	0	0	Temperature criterion met
11/7/2017	10.4	10.6	9.9	0.7	13	0.3	0	0	Temperature criterion met
11/8/2017	10.4	10.5	9.6	0.9	13	0.3	0	0	Temperature criterion met
11/9/2017	10.6	10.5	9.5	1.0	13	0.3	0	0	Temperature criterion met
11/10/2017	10.5	10.5	9.5	1.0	13	0.3	0	0	Temperature criterion met
11/11/2017	10.5	10.5	9.6	0.9	13	0.3	0	0	Temperature criterion met
11/12/2017	10.5	10.5	9.7	0.8	13	0.3	0	0	Temperature criterion met
11/13/2017	10.4	10.5	9.8	0.7	13	0.3	0	0	Temperature criterion met
11/14/2017	10.3	10.5	9.9	0.5	13	0.3	0	0	Temperature criterion met
11/15/2017	10.1	10.4	10.1	0.3	13	0.3	0	0	Temperature criterion met
11/17/2017	10.0	10.3	10.0	0.2	13	0.3	0	0	Temperature criterion met
11/18/2017	9.9	10.2	9.9	0.3	13	0.3	0	0	Temperature criterion met
11/19/2017	9.7	10.1	9.8	0.3	13	0.3	0	0	Temperature criterion met
12/4/2017	9.0	9.2	8.9	0.3	13	0.5	0	0	Temperature criterion met
12/5/2017	8.8	9.1	8.8	0.3	13	0.5	0	0	Temperature criterion met
12/6/2017	8.7	9.0	8.6	0.4	13	0.5	0	0	Temperature criterion met
12/7/2017	8.5	8.9	8.4	0.5	13	0.3	0	0	Temperature criterion met
12/8/2017	8.4	8.8	8.2	0.6	13	0.3	0	0	Temperature criterion met
12/9/2017	8.2	8.7	8.0	0.7	13	0.3	0	0	Temperature criterion met
12/10/2017	8.2	8.5	7.8	0.7	13	0.3	0	0	Temperature criterion met
12/11/2017	8.1	8.4	7.7	0.7	13	0.3	0	0	Temperature criterion met
12/12/2017	7.9	8.3	7.6	0.6	13	0.3	0	0	Temperature criterion met
12/13/2017	7.7	8.1	7.6	0.5	13	0.3	0	0	Temperature criterion met
12/14/2017	7.6	8.0	7.6	0.4	13	0.3	0	0	Temperature criterion met